



Sonic Cement
Bond Log

API No.

15-007-23828-00-00

Company Indian Oil Company, Inc.
Well Boonedocker No.3
Field Stranathan Pool
County Barber
Location SE SE NW SE
1322' FSL & 1458' FEL
Sec: 6
Twp: 35S
Rge: 11W
Elevation

Other Services
Perforate

K.G.D.
L.F.B.
1373
1362

Permanent Datum
Ground Level
Elevation 1362
11 Ft. Above Perm. Datum

Log Measured From
Kelly Bushing

Drilling Measured From
Kelly Bushing

Run Number	One
Date Survey	2/16/2012
Date Cementing	2/7/2012
Type Cementing Operation	Primary
Depth Driller	5230
Depth Logger	5170
Logged Interval	5168 to 3700
Casing Driller	5.5 @ TD
Float Collar -- D.V. Tool	////
Squeeze Depth	////
Amount & Type Cement	////
Amount & Type Admix	////
Type Fluid In Hole	Water
Fluid Level	Full
Salinity PPM CL	////
Weight lb/gal -- Vis.	////
Approx. Logged Cement Top	3900
Calculated Cement Top	////
Max. Hole Temperature	130
Tool No.	RB12-2
Spacing Recorded	3-5
Equipment -- Location	5 Pratt
Recorded By	S. Chesney
Witnessed By	Anthony Farrar

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of an interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(620) 672-8300


Hyw 281 & Hyw 2, 1/2E,
N into



Main Pass

Database File: indian-boonedocker-3.db
Dataset Pathname: grcb/pass4
Presentation Format: cbldr
Dataset Creation: Thu Feb 16 10:47:06 2012 by Calc SCH 110630
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wwf5ft	12
			(mV)	0	Amplified Amplitude (mV)	100			
			-100	10	Pipe Amplitude (mV)	20			



0 Gamma Ray 150




amp3ft
(mV) -100 10 0


5 Casing Collars -0.7 200

Amplified Amplitude (mV) 0 100
Pipe Amplitude (mV) 0 20

wvf5ft

1200







4300


4250

4200

4150

4100







4550


4500

4450

4400

4350







4800


4750

4700

4650

4600






5050

5000




4950

4900

4850



<<< Fold Here >>>



Repeat Section

Database File: indian-boonedocker-3.db
 Dataset Pathname: grcb/pass3
 Presentation Format: cbldr
 Dataset Creation: Thu Feb 16 10:13:47 2012 by Log SCH 110630
 Charted by: Depth in Feet scaled 1:240

