

Dual Compensated Porosity Log

(785) 625-3858

API No.

15-051-26,219-00-00

Company Toms Oil

Well Henman No. 1

Field Raynesford East

Ellis County State Kansas

[illegible]

Sec: 17 Twp: 13 S Rge: 20 W

Other Services
DIL
MEL

Ground Level	Elevation 2206
Kelly Bushing	5 Ft Above Perm Datum

From Kelly Bushing

Elevation 2206
5 Ft. Above Perm. Datum

	Elevation
K.B.	2211
D.F.	
G.L.	2206

Date	11/18/2011
------	------------

Run Number
One

Type Log	CNL / CBL
----------	-----------

Depth Driller	3909
	3910

Debin Logger	3913
System Logger	3903

Loggia	3700
Loggia	3700

Types Ellipsoid Hole	Chemical
27/30	

Salinity PPM Cl	5000
-----------------	------

Density	9.0
---------	-----

Level	Full
-------	------

Max. Rec. Temp. F	115
-------------------	-----

Operating Rig Time	4 Hours
--------------------	---------

Equipment -- Location	15	Ha
-----------------------	----	----

Recorded By	Daylon Kerr
-------------	-------------

Witnessed By	Roger Mose
--------------	------------

Borehole Record		
2	g	1

Un No.	From	To
400		

—	7.23	00	220
5	7.27	00	200

7	C/O	270	3303

--	--	--	--	--

[illegible]

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Ellis KS,
2 South on Blacktop,
1/2 West, North Into

Database File: c:\warrior\data\toms oil_herman no. 1\tomsoil_herman_111811hd.db
Dataset Pathname: DIL\tomstk
Presentation Format: cdl
Dataset Creation: Fri Nov 18 10:51:20 2011
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			

















