



Radiation Guard Log

DIGITAL LOG (785) 625-3858

API No.		Company Tom's Oil	
15-051-26,030-00-00		Well Dechant No. 1	
Field Dechant		County Ellis State Kansas	
Location 1636' FSL & 383' FEL		Other Services NONE	
Sec: 6 Twp: 15 S Rge: 18 W		Elevation	
Permanent Datum Ground Level		K.B. 2032	
Log Measured From Kelly Bushing		D.F. 2027	
Drilling Measured From Kelly Bushing		G.L. 2027	
Date	10/06/2010		
Run Number	One		
Depth Driller	3682		
Depth Logger	3681		
Bottom Logged Interval	3680		
Top Log Interval	200		
Casing Driller	8.625 @ 217		
Casing Logger	218		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	5.000		
Density / Viscosity	9.1 54		
pH / Fluid Loss	10.0 9.2		
Source of Sample	Flowline		
Rm @ Meas. Temp	.65 @ 70		
Rmf @ Meas. Temp	.49 @ 70		
Rmc @ Meas. Temp	.88 @ 70		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.40 @ 70		
Operating Rig Time	3 Hours		
Max Rec. Temp. F	115		
Equipment Number	4		
Location	Hays		
Recorded By	K. Bange		
Witnessed By	Herb Deines		


<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

240th Ave. S to Antonino BT, 1 W, Sinto







1300

1350

1400

1450

1500

1550


1600

1650

1700

1750

1800



-102

-102

-102

-102

-102

-102



-102


-99

-99

-99

-99





2400

2450

2500

2550

2600

2650


2700

2750

2800

2850

2900



-98

-97

-98

-106

-102

-53


-30

-30

-30

-30

-29



2950

3000

3050

3100

3150

3200


3250

3300

3350

3400

3450



-30

-29

-29

-29

-28

-28


-29

-28



-28


-28

-27






Database File: c:\warrior\data\tom's oil_dechant no. 1\toms100610hd.db
 Dataset Pathname: rag/tomsrag
 Presentation Format: rag
 Dataset Creation: Wed Oct 06 17:27:38 2010
 Charted by: Depth in Feet scaled 1:240








Database File: c:\warrior\data\tom's oil_dechant no. 1\toms100610hd.db
 Dataset Pathname: rag/tomsrag
 Presentation Format: rag
 Dataset Creation: Wed Oct 06 17:27:38 2010
 Charted by: Depth in Feet scaled 1:240











-200	SP (mV)	0	15000	Line Tension	0
				LSPD	