



Sonic Cement  
Bond Log

DIGITAL LOG (785) 625-3858

15-065-23819-00-00

API No.

Company Venture Resources, Inc.

Well Windholz No. 1

Field Hoof West

County Graham State Kansas

Location SW-NW-SE-NW

1900' FNL & 1620' FWL

Other Services

Sec: 17 Twp: 10 S Rge: 23 W

Elevation

Ground Level Elevation 2400

Kelly Bushing 5 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing K.B. 2405 D.F. @ G.L. 2400

Run Number One

Date Survey 04/10/2012

Date Cementing 03/29/2012

Type Cementing Operation Primary

Depth Driller 3980

Depth Logger 3960

Logged Interval 3959 to 3400

Casing Driller 5.5 @ TD

Float Collar -- D.V. Tool // // // @

Squeeze Depth // // //

Amount & Type Cement // // //

Amount & Type Admix // // //

Type Fluid In Hole Water

Fluid Level Full

Salinity PPM CL // // //

Weight lb/gal -- Vis. // // //

Approx. Logged Cement Top NA

Calculated Cement Top // // //

Max. Hole Temperature 118

Tool No. RBT 3-6

Spacing Recorded 3-5'

Equipment -- Location 18 Hays

Recorded By D. Hagan

Witnessed By John Cearley

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.  
(785) 625-3858

Wakeeney, Ks. 10 North to C Rd. 3 West to 230 Rd.  
1 1/2 North, East into at Fence Line





DIGITAL LOG (785) 625-3858


Main Pass

Database File: ventureresources\_1.db  
 Dataset Pathname: hoofwest/windholz1/grobl/pass3  
 Presentation Format: cblbr  
 Dataset Creation: Tue Apr 10 10:40:54 2012 by Log SCH 120126  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)	0	Pipe Amplitude (mV)	100			
			-100	10	Amplified Amplitude (mV)	20			








**LOG-TECH**

DIGITAL LOG (785) 625-3858

# Repeat Section

0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)	0	Pipe Amplitude (mV)	100			
			-100	10	Amplified Amplitude (mV)	20			



0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)	0	Pipe Amplitude (mV)	100			
			-100	10	Amplified Amplitude (mV)	20			

(mV)	0	Pipe Amplitude (mV)	100
-100	10	0	Amplified Amplitude (mV) 20
<hr style="border-top: 1px dashed black;"/>			