



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.	15-065-23,819-00-00	
Company	Venture Resources, Inc.	
Well	Windholz No. 1	
Field	Hoof West	
County	Graham	State
		Kansas
Location	SW NW SE NW 1900' FNL & 1620' FWL	
Sec: 17	Twp: 10 S	Rge: 23 W
Permanent Datum	Ground Level	Elevation 2400
Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
		Other Services CNL/CDL
		Elevation K.B. 2405 D.F. 2400 G.L. 2400

Date	3/28/2012
Run Number	One
Depth Driller	3980
Depth Logger	3986
Bottom Logged Interval	3985
Top Log Interval	200
Casing Driller	8.625 @ 234
Casing Logger	232
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	1,400
Density / Viscosity	9.2 53
pH / Fluid Loss	10.5 6.8
Source of Sample	Flowline
Rm @ Meas. Temp	.65 @ 60
Rmf @ Meas. Temp	.49 @ 60
Rmc @ Meas. Temp	.88 @ 60
Source of Rmf / Rmc	Charts
Rm @ BHT	.33 @ 118
Operating Rig Time	2 Hours
Max Rec. Temp. F	118
Equipment Number	91
Location	Havs
Recorded By	K. Bange
Witnessed By	Greg Mackey

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
 (785) 625-3858




Wakeeney, 10 N to C rd, 3 W to 230 rd,
 1 1/2 N, E into at fenceline.


Database File: venture032812hd.db
 Dataset Pathname: dil/vent2in
 Presentation Format: dil2in
 Dataset Creation: Thu Mar 29 01:00:07 2012
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150
-200 SP 0



0 Shallow Resistivity 50
0 Deep Resistivity 50
1000 Conductivity 0
15000 Line Tension 0
50 Shallow Resistivity 50
50 Deep Resistivity 50

LSPD












700
750
800
850
900
950
1000
1050
1100
1150
1200






-101
-100
-99
-99
-99
-99
-98
-99
-99
-99
-99
-98
-99
-100
-98
-97
















Database File: venture032812hd.db
 Dataset Pathname: dil/vent2in
 Presentation Format: dil
 Dataset Creation: Thu Mar 29 01:00:07 2012
 Charted by: Depth in Feet scaled 1:240



-200 SP 0

0.2 Shallow Resistivity 2000

10000 Line Tension 0

LSPD


Database File: venture032812hd.db
Dataset Pathname: dil/vent2in
Presentation Format: dil
Dataset Creation: Thu Mar 29 01:00:07 2012
Charted by: Depth in Feet scaled 1:240

0 Gamma Ray 150
-160 RXO/RT 40
-200 SP 0

0.2 Deep Resistivity 2000
0.2 Medium Resistivity 2000
0.2 Shallow Resistivity 2000

10000 Line Tension 0


LSPD



3400

3450


3500



-27

-27

-27




3550

3600

3650

3700

3750




-27

-27

-27

-26

-26




3800

3850

3900

3950



-25

1000 Ohms

1 Ohms


10 Ohms

100 Ohms


-26

-26

-26



0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD