



DIGITAL LOG (785) 625-3858

Dual Induction Log

API No.	15-083-21,759-00-00		
Company	American Warrior, Inc.		
Well	Burke-Jacobs No. 1-4		
Field	Sawlog Creek Southeast		
County	Hodgeman	State	Kansas
Location	1000' FSL & 1625' FWL		Other Services CNL/CDL MEL
Sec: 4	Twp: 24 S	Rge: 21 W	Elevation K.B. 2374 D.F. 2363 G.L. 2363

Permanent Datum	Ground Level	Elevation 2363
Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	3/10/2012	
Run Number	One	
Depth Driller	4660	
Depth Logger	4659	
Bottom Logged Interval	4658	
Top Log Interval	200	
Casing Driller	8.625 @ 220	
Casing Logger	215	
Bit Size	7.875	
Type Fluid in Hole	Chemical	
Salinity,ppm CL	4.600	
Density / Viscosity	9.4 50	
pH / Fluid Loss	10.5 6.4	
Source of Sample	Flowline	
Rm @ Meas. Temp	.85 @ 60	
Rmf @ Meas. Temp	.64 @ 60	
Rmc @ Meas. Temp	1.15 @ 60	
Source of Rmf / Rmc	Charts	
Rm @ BHT	.41 @ 124	
Operating Rig Time	4 Hours	
Max Rec. Temp. F	124	
Equipment Number	91	
Location	Hays	
Recorded By	K. Bange	
Witnessed By	Harley Sayles	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hwy 183 and 56 Junction, 1 SW to A rd,
16 W to 233rd, 3/4 W, N into




0	Gamma Ray	150
-200	SP (mV)	0

0	Shallow Resistivity	50
0	Deep Resistivity	50

LSPD



1000	Conductivity	0
15000	Line Tension	0



50	Shallow Resistivity	500
50	Deep Resistivity	500








200
250
300
350
400
450
500
550
600
650



-58
-57
-100
-100
-99
-99
-97
-96
-96
-96

































Database File: c:\warrior\data\amwar_burke - jacobs no. 1-4\amwarrior031012hd.db
 Dataset Pathname: dil/awstack
 Presentation Format: dil
 Dataset Creation: Sat Mar 10 16:55:19 2012
 Charted by: Depth in Feet scaled 1:240



3850

3900


3950



-31

-30

-31




4000

4050

4100

4150




-31

-31

-30

-31




4200

4250

4300

4350

4400




-30

-30

-30

-30

-27




4450

4500

4550

4600




-26

-27


-26

-21



0	Gamma Ray	150
-200	SP (mV)	0
-160	Rxo / Rt	40

4650



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
15000	Line Tension	0

LSPD