



Sonic Cement Bond Log

API No.		Company Trans Pacific Oil Corporation	
15-135-25356-00-00		Well Debes Unit "A" NO. 1-14	
Field Nirvana		County Ness	
Location 2310' FSL & 1320' FEL		State Kansas	
Sec: 14 Twp: 18 S Rge: 24 W		Other Services	
Permanent Datum	Ground Level	Elevation 2302	
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing	K.B. 2311 D.F. 2302	
Run Number	One		
Date Survey	02/22/2012		
Date Cementing	02/18/2012		
Type Cementing Operation	Primary		
Depth Driller	4317		
Depth Logger	4265		
Logged Interval	4264 to 3000		
Casing Driller	4.5 @ TD		
Float Collar -- D.V. Tool	1580		
Squeeze Depth	////		
Amount & Type Cement	////		
Amount & Type Admix	////		
Type Fluid In Hole	Water		
Fluid Level	Full		
Salinity PPM CL	////		
Weight lb/gal -- Vis.	////		
Approx. Logged Cement Top	3144		
Calculated Cement Top	////		
Max. Hole Temperature	119		
Tool No.	RBT 3-6		
Spacing Recorded	3-5'		
Equipment -- Location	18	D. Hagan	
Recorded By			
Witnessed By	Moe Smith		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Ness City Ks. 1 N to 140 Rd. 3 W,
1 N, 1/2 E, N into





Port Collar @ 1580

Database File: transpacific_1-14.db
Dataset Pathname: grcbl/pass4
Presentation Format: cbldr
Dataset Creation: Wed Feb 22 09:39:55 2012 by Log SCH 110722
Charted by: Depth in Feet scaled 1:240



0	Gamma Ray	150	amp3ft	5	Casing Collars	-0.7	200	wvf5ft	1200
			(mV)	0	Pipe Amplitude (mV)	100			
			-100 10	0	Amplified Amplitude (mV)	20			







Main Pass

Database File: transpacific_1-14.db
 Dataset Pathname: grcbl/pass3
 Presentation Format: cbldr
 Dataset Creation: Wed Feb 22 09:04:38 2012 by Log SCH 110722
 Charted by: Depth in Feet scaled 1:240










3400

3450

3500

3550








3600

3650

3700

3750







3800


3850

3900

3950

4000






4050


4100


4150

4200



Casing Collars





LOG-TECH

Repeat Section

Database File: transpacific_1-14.db
 Dataset Pathname: grcbl/pass2
 Presentation Format: cbldr
 Dataset Creation: Wed Feb 22 08:58:39 2012 by Log SCH 110722
 Charted by: Depth in Feet scaled 1:240

