



Sector Bond / Gamma Ray
CCL Log

(785) 625-3858

API No.		Company Samuel Gary Jr. & Associates, Inc.	
15-165-21,955-00-00		Well W.B. No. 1-1	
Location		Field Beeching East	
135' FNL & 1,260' FWL		County Rush	
Sec: 1 Twp: 16 S Rge: 16 W		State Kansas	
Permanent Datum Ground Level Elevation 1926		Other Services	
Log Measured From Kelly Bushing 10 Ft. Above Perm. Datum		Mast Trailer	
Drilling Measured From Kelly Bushing		Elevation	
Run Number		K.B. 1936	
Date Survey		D.F. 1926	
01-26-2012			
Date Cementing			
01-24-2012			
Type Cementing Operation		Primary	
Depth Driller		3610	
Depth Logger		3570	
Logged Interval		3569 to 1750	
Casing Driller		5.5" @ T.D.	
Float Collar -- D.V. Tool		///	
Squeeze Depth		///	
Amount & Type Cement		///	
Amount & Type Admix		///	
Type Fluid In Hole		Water	
Fluid Level		Full	
Salinity PPM CL		///	
Weight lb/gal -- Vis.		///	
Approx. Logged Cement Top		1918	
Calculated Cement Top		///	
Max. Hole Temperature		114	
Tool No.		RBT 5-5	
Spacing Recorded		3-5	
Equipment -- Location		3 Hays	
Recorded By		Stan Linenberger	
Witnessed By		Gerald Achatz	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Gorham, Kansas; South to Stop Sign (County Line),
West 1 3/4 Miles to Boxberger Mailbox,
South Into.



Main Pass

Database File: sam gary jr wb 1-1.db
Dataset Pathname: scbl/pass2.1
Presentation Format: scbl
Dataset Creation: Thu Jan 26 11:16:23 2012
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	0	Amplitude (mV)	100	0	AMPAVG	150
5000	LTEN (lb)	0		Amplified Amplitude		0	AMPMAX	150
150	GR	300	0	(mV)	20	0	AMPMIN	150
						3	CCL	-1

200	VDL	1200	1	Sector Map	8
			25		75

1750

1800

1850

1900


Top of Cement

1950

2000

2050

2100




2150

2200

2250

2300

2350




2400

2450

2500

2550




2600

2650

2700

2750

2800




2850

2900

2950

3000

Marker Joint →




3050


3100


3150

3200
4x4

6x4








LOG-TECH

Repeat Section

Database File: sam gary jr wb 1-1.db
 Dataset Pathname: scbl/pass1
 Presentation Format: scbl
 Dataset Creation: Thu Jan 26 10:23:38 2012 by Log Std Casedhole 09061
 Charted by: Depth in Feet scaled 1:240



3450

3500

3550

0	Gamma Ray	150	0	Amplitude (mV)	100	0	AMPAVG	150
5000	LTEN (lb)	0		Amplified Amplitude		0	AMPMAX	150
150	GR	300	0	(mV)	20	0	AMPMIN	150
						3	CCL	-1

200	VDL	1200	1	Sector Map	8
			25		75