

## Dual Compensated Porosity Log

**(785) 625-3858**

Company AAS Oil Company

Well Marrs No. 4

## Field Gibson Pool

County Cowley State Kansas

15-035-24,360

E/2 NM/SM

Sec: 20 Twp: 34

|               |                         |
|---------------|-------------------------|
| Ground Level  | Elevation 1148          |
| Kelly Bushing | 8 Ft. Above Perm. Datum |

Elevation

1156  
כ"ב

Case

Run Number

## Type Log

## Depth Driller

### Depth Logger

### Bottom Logge

op Logged

### type fluid in

Salinity, P

Density

Level

Max. Rec. 1e

## Operating Rigs

Equipment --

Recorded by

**Willemsen D**

|    |    |
|----|----|
| 姓名 | 日期 |
|----|----|

|         |     |
|---------|-----|
| 4       | 400 |
| all in. | Dil |

|   |       |
|---|-------|
| 1 | 12.71 |
| 0 | 7.07  |

|   |      |
|---|------|
| 7 | 1.01 |
|---|------|

[illegible][illegible]

|  |  |
|--|--|
|  |  |
|--|--|

|  |  |
|--|--|
|  |  |
|--|--|

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.  
(785) 625-3858


Arkansas City, 5 West to 11th Rd, 1 1/4 North, East Into


Database File: c:\warrior\data\as\_marrs no. 4\as4hd.db  
Dataset Pathname: dil\asstock  
Presentation Format: cdl  
Dataset Creation: Sun Jul 18 11:07:30 2010  
Charted by: Depth in Feet scaled 1:600

|   |                |     |
|---|----------------|-----|
| 0 | Gamma Ray      | 150 |
| 6 | Caliper (GAPI) | 16  |

|       |                     |            |       |
|-------|---------------------|------------|-------|
| 30    | Compensated Density |            | -10   |
| 2     | Bulk Density        |            | 3     |
| 15000 | Line Tension        |            | 0     |
| 2.625 | DGA                 | 3.425      | -0.25 |
|       |                     | Correction | 0.25  |
| LSPD  |                     |            |       |







Database File: c:\warrior\data\as\_marrs no. 4\as4hd.db  
Dataset Pathname: dil/aasstock  
Presentation Format: cndlspec  
Dataset Creation: Sun Jul 18 11:07:30 2010  
Charted by: Depth in Feet scaled 1:240

|   |                |     |
|---|----------------|-----|
| 0 | Gamma Ray      | 150 |
| 6 | Caliper (GAPI) | 16  |

|       |                                 |       |       |            |      |
|-------|---------------------------------|-------|-------|------------|------|
| 30    | Compensated Neutron (Limestone) |       |       |            | -10  |
| 30    | Compensated Density (2.71 ma)   |       |       |            | -10  |
| 2.625 | DGA                             | 3.425 | -0.25 | Correction | 0.25 |
| 15000 | Line Tension                    |       |       |            | 0    |
|       |                                 |       |       |            | LSPD |

