



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-047-21,628-00-00

Company **Toto Energy, LLC.**

Well **Electric Guitar #1**

Field **Wil**

County **Edwards**

State **Kansas**

Location

1420' FSL & 1320' FEL

Other Services
DIL/MEI

Sec: 36

Twp: 25S

Rge: 16W

Elevation

Permanent Datum

Ground Level

Elevation 2048

Log Measured From

Kelly Bushing

11 Ft. Above Perm. Datum

K.B. 2059
D.F.
G.L. 2048

Drilling Measured From

Kelly Bushing

Date

1/4/2014

Run Number

One

Type Log

CNL / CDL

Depth Driller

4765

Depth Logger

4754

Bottom Logged Interval

4733

Top Logged Interval

3500

Type Fluid In Hole

Chemical

Salinity, PPM CL

3000

Density

8.8

Level

Full

Max. Rec. Temp. F

124

Operating Rig Time

4 Hours

Equipment -- Location

15 Days

Recorded By

D Kerr

Witnessed By

Harley Sayles

Terry Madden

Borehole Record

Casing Record

Run No.

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

323

8.625

23#

00

323

Two

7.875

323

TD

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Belpre KS, 8 South to 80 RD,
4 East, 1/2 South, West Into

Database File: toto_electricguitar_1hd.db
Dataset Pathname: DIL/totostk
Presentation Format: cdl
Dataset Creation: Sat Jan 04 11:15:57 2014
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16

30	Compensated Density (pu)			-10	
2	Bulk Density (g/cc)			3	
15000	Line Tension (lb)			0	
2.625	DGA (g/cc)	3.425	-0.25	Correction (g/cc)	0.25
				LSPD	
				(ft/min)	

















