LOG-TECH

DIGITAL LOG (785) 625-3858

Microresistivity Log

API No. 15-039-21,143-00-00

Company Cholla Production, LLC
Well May - Jording No. 2 - 23
Field Jording
County Decatur State Kansas

Location 700' FNL & 1940' FWL
Sec: 23 Twp: 2 S Rge: 30 W

Other Services
CNL/CDL
DIL

Elevation
K.B. 2848
D.F.
G.L. 2843

Permanent Datum Ground Level
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date	11/26/2011		
Run Number	Two		
Depth Driller	4100		
Depth Logger	4100		
Bottom Logged Interval	3999		
Top Log Interval	3000		
Casing Driller	8.625 @ 306		
Casing Logger	305		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity,ppm CL	500		
Density / Viscosity	8.7 / 70		
pH / Fluid Loss	11.0 / 5.4		
Source of Sample	Flowline		
Rm @ Meas. Temp	2.20 @ 58		
Rmf @ Meas. Temp	1.65 @ 58		
Rmc @ Meas. Temp	2.97 @ 58		
Source of Rmf / Rmc	Charts		
Rm @ BHT	1.09 @ 117		
Operating Rig Time	4 1/2 Hours		
Max Rec. Temp. F	117		
Equipment Number	17		
Location	Hays		
Recorded By	D. Martin	B. Becker	
Witnessed By	Clayton Erickson		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Oberlin, KS,
5 W, 3 N, 1/2 W, S Into (Through a Long Gate)


Database File: chollahd.db
Dataset Pathname: DIL/chostk
Presentation Format: micro
Dataset Creation: Sat Nov 26 05:21:01 2011
Charted by: Depth in Feet scaled 1:240


0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0


0	Micro Inverese 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0


LSPD





3200
3250
3300
3350
3400
-30
-31
-30
-30
-30


3450
-30
3500
-30
3550
-29
3600
-29


3650
-30
3700
-29
3750
-29
3800
-33


3850
-30
3900
-29
3950
-30
4000
-29
4050
-29



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD