



Dual Induction Log

DIGITAL LOG (785) 625-3858

API No.

15-051-26,320-00-00

Company DaMar Resources, Inc.

Well Anita No. 1

Field Wildcat

County Ellis State

Kansas

Location

NW SE NW NW
695' FNL & 850' FWL

Other Services
CNL/CDL
MEL

Sec: 11 Twp: 13S Rge: 18W

Permanent Datum Ground Level Elevation 2162
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation

K.B. 2167
D.F.
G.L. 2162

Date

6/16/2012

Run Number

One

Depth Driller

3775

Depth Logger

3776

Bottom Logged Interval

3775

Top Log Interval

200

Casing Driller

8.625 @ 261

Casing Logger

260

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

8000

Density / Viscosity

9.2 52

pH / Fluid Loss

10.0 9.2

Source of Sample

Flowline

Rm @ Meas. Temp

.48 @ 79

Rmf @ Meas. Temp

.36 @ 79

Rmc @ Meas. Temp

.65 @ 79

Source of Rmf / Rmc

Charts

Rm @ BHT

.33 @ 114

Operating Rig Time

4 Hours

Max Rec. Temp. F

114

Equipment Number

108

Location

Hays

Recorded By

J. Long

Witnessed By

Randy Kilian

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Hays, North to Feedlot Road, 1 1/4 East, South Into



Database File: c:\warrior\data\damar_anita no. 1\damar_anita_1hd.db
Dataset Pathname: dil/damstck
Presentation Format: dil2in
Dataset Creation: Sat Jun 16 15:48:43 2012
Charted by: Depth in Feet scaled 1:600























Database File: c:\warrior\data\damar_anita no. 1\damar_anita_1hd.db
 Dataset Pathname: dil/damstock
 Presentation Format: dil
 Dataset Creation: Sat Jun 16 15:48:43 2012
 Charted by: Depth in Feet scaled 1:240








3150

3200

3250

3300

3350




-30

-31

-31

-31

-31




3400

3450

3500

3550




-30

-31

-31

-31




3600

3650

3700

3750



-31

-31

-31

-30

-160	Rxo / Rt	40

0.2	Shallow Resistivity	2000
15000	Line Tension	0
		LSPD