



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-051-26,320-00-00

Company DaMar Resources, Inc.

Well Anita No. 1

Field Wildcat

County Ellis

State Kansas

Location

NW SE NW NW
695' FNL & 850' FWL

Other Services
DIL
MEL

Sec: 11 Twp: 13S Rge: 18W

Permanent Datum Ground Level Elevation 2162
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 2167
D.F.
G.L. 2162

Date 6/16/2012

Run Number One

Type Log CNL / CDL

Depth Driller 3775

Depth Logger 3776

Bottom Logged Interval 3755

Top Logged Interval 3100

Type Fluid In Hole Chemical

Salinity, PPM CL 8000

Density 9.2

Level Full

Max. Rec. Temp. F 114

Operating Rig Time 4 Hours

Equipment -- Location 108 Hays

Recorded By J. Long

Witnessed By Randy Kilian

Borehole Record

Casing Record

Run No.

Bit

From

To

Size

Wgt.

From

To

261

8.625

24#

00

261

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hays, North to Feedlot Road, 1 1/4 East, South Into

Database File: c:\warrior\data\damar_anita no. 1\damar_anita_1hd.db
Dataset Pathname: dil/damstock
Presentation Format: cdl
Dataset Creation: Sat Jun 16 15:48:43 2012
Charted by: Depth in Feet scaled 1:600

Charted by:		Depth in Feet scaled 1:600						
0	Gamma Ray	150	30	Compensated Density		-10		
6	Caliper (GAPI)	16	2	Bulk Density		3		
			15000	Line Tension		0		
			2.625	DGA	3.425	-0.25	Correction	0.25
								LSPD









