



**SUPERIOR
Hays,
Kansas**

**SONIC
LOG**

Company VINCENT OIL CORPORATION
Well McCARTY #3-36
Field
County FORD State KANSAS

Company VINCENT OIL CORPORATION
Well McCARTY #3-36
Field
County FORD
State KANSAS

Location: API #: 15-057-20785
2110' FNL & 1670' FML
SEC 36 TWP 28S RGE 23W
Permanent Datum GROUND LEVEL Elevation 2505
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING
Other Services
CDL/CNL/PE
MICRO/DIL
Elevation
K.B. 2517
D.F.
G.L. 2505

Date	2-28-12
Run Number	TW0
Depth Driller	5580
Depth Logger	5584
Bottom Logged Interval	5576
Top Log Interval	650
Casing Driller	655
Casing Logger	650
Bit Size	7.875
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.5 / 55
pH / Fluid Loss	9.5 / 8.8
Source of Sample	FLOWLINE
Rim @ Meas. Temp	0.70 @ 77F
Rmf @ Meas. Temp	0.53 @ 77F
Rmc @ Meas. Temp	0.84 @ 77F
Source of Rmf / Rmc	MEASURED
Rim @ BHT	.410 @ 130F
Time Circulation Stopped	3 HOURS
Time Logger on Bottom	8:45 P.M.
Maximum Recorded Temperature	130F
Equipment Number	860
Location	HAYS, KS.
Recorded By	RUPP
Witnessed By	KEN LEBLANC

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: FORD, S TO WILBURN RD., 1 1/2W, N INTO.





SUPERIOR
Hays,
Kansas


MAIN SECTION

Database File: 008487pdr.db
 Dataset Pathname: pass12.1A
 Presentation Format: slt
 Dataset Creation: Wed Feb 29 08:21:30 2012
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	MELCAL (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		









1050


1100


1150


1200
















2150

2200

2250

2300






2350



2400


2450


2500


2550

























4150

4200

4250

4300







4350


4400


4450


4500
















SUPERIOR
Hays,
Kansas

REPEAT SECTION


Database File: 008487p.dn.db
 Dataset Pathname: pass11.1
 Presentation Format: slt
 Dataset Creation: Wed Feb 29 07:05:11 2012 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	MELCAL (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		





5550



0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	MELCAL (in)	16	10 (ft3)	0 30	SONIC POROSITY (pu)	-10
0	MINMK	20	TBHV	0	ITT (msec)	20
			0 (ft3)	10		