



**SUPERIOR  
Hays,  
Kansas**

**MICRO  
LOG**

Company VINCENT OIL CORPORATION  
Well McCARTY #3-36  
Field  
County FORD State KANSAS

Company VINCENT OIL CORPORATION  
Well McCARTY #3-36  
Field  
County FORD  
State KANSAS

Location: API #: 15-057-20785  
2110' FNL & 1670' FML  
SEC 36 TWP 28S RGE 23W  
Permanent Datum GROUND LEVEL Elevation 2505  
Log Measured From KELLY BUSHING 12' A.G.L.  
Drilling Measured From KELLY BUSHING  
Other Services  
CDL/CNL/PE  
SONIC/DIL  
Elevation  
K.B. 2517  
D.F.  
G.L. 2505

Date	2-28-12
Run Number	TW0
Depth Driller	5580
Depth Logger	5584
Bottom Logged Interval	5566
Top Log Interval	4200
Casing Driller	655
Casing Logger	650
Bit Size	7.875
Type Fluid in Hole	CHEMICAL MUD
Density / Viscosity	9.5 / 55
pH / Fluid Loss	9.5 / 8.8
Source of Sample	FLOWLINE
Rim @ Meas. Temp	0.70 @ 77F
Rmf @ Meas. Temp	0.53 @ 77F
Rmc @ Meas. Temp	0.84 @ 77F
Source of Rmf / Rmc	MEASURED
Rim @ BHT	.410 @ 130F
Time Circulation Stopped	3 HOURS
Time Logger on Bottom	8:45 P.M.
Maximum Recorded Temperature	130F
Equipment Number	860
Location	HAYS, KS.
Recorded By	RUPP
Witnessed By	KEN LEBLANC

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES  
785-628-6395  
THANK YOU FOR YOUR BUSINESS  
DIRECTIONS: FORD, S TO WILBURN RD., 1 1/2W, N INTO.




**SUPERIOR  
Hays,  
Kansas**


**MAIN SECTION**

Database File: 008487pdr.db  
 Dataset Pathname: pass5.2  
 Presentation Format: micro  
 Dataset Creation: Wed Feb 29 03:42:29 2012  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
0	MINMK	20

0	MEL1.5 (Ohm-m)	20
0	MEL2.0 (Ohm-m)	20







4400


4450

4500

4550









4850

4900

4950

5000






5050


5100


5150

5200

5250







0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
-----		
0	MINMK	20

0	MEL1.5 (Ohm-m)	20
0	MEL2.0 (Ohm-m)	20
-----		




SUPERIOR  
Hays,  
Kansas


# REPEAT SECTION

Database File: 008487pdn.db  
 Dataset Pathname: pass4.1  
 Presentation Format: micro  
 Dataset Creation: Wed Feb 29 01:05:16 2012 by Calc Open-Cased 090629  
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
-----		
0	MINMK	20

0	MEL1.5 (Ohm-m)	20
0	MEL2.0 (Ohm-m)	20
-----		







5200

5250

5300

5350





6	MELCAL (in)	16
0	MINMK	20

0	MEL2.0 (Ohm-m)	20
---	----------------	----

Calibration Report

Database File: 008487pdn.db  
 Dataset Pathname: pass5.2  
 Dataset Creation: Wed Feb 29 03:42:29 2012

MICRO Calibration Report

Serial Number: Micro1  
 Tool Model: ProbeL  
 Performed: Wed Feb 29 01:08:06 2012

Caliper Calibration:	Gain=3.315	Offset=-3.158
	Low Cal	High Cal
References	7.600	13.500
Readings	3.245	5.025

1.5" Calibration:	Gain=60.000	Offset=0.100
	Low Cal	High Cal
References	0.000	20.000
Readings	0.003	0.844

2" Calibration:	Gain=48.000	Offset=0.000
	Low Cal	High Cal
References	0.000	20.000
Readings	0.028	0.817

Gamma Ray Calibration Report

Serial Number: GR5  
 Tool Model: OPEN  
 Performed: Tue Feb 28 23:55:16 2012

Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.7500	GAPI/cps