



DIGITAL LOG (785) 625-3858

Microresistivity Log

15-065-23,825-00-00

Company Berexco, LLC.

Well Balthazor A #3

Field Morel

County Graham

State

Kansas

Location

N/2 SW NE NE
740' FNL & 1000' FEL

Sec: 23

Twp: 9 S

Rge: 21 W

Elevation

K.B. 2238
D.F. 2227
G.L. 2227

Other Services
CNL/CDL
DIL

Permanent Datum Ground Level Elevation 2227
Log Measured From Kelly Bushing 11 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date

4/20/2012

Run Number

Two

Depth Driller

3830

Depth Logger

3833

Bottom Logged Interval

3832

Top Log Interval

3000

Casing Driller

8.625 @ 330

Casing Logger

324

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

2.000

Density / Viscosity

9.1 45

pH / Fluid Loss

9.5 8.8

Source of Sample

Flowline

Rm @ Meas. Temp

.85 @ 50

Rmf @ Meas. Temp

@ 50

Rmc @ Meas. Temp

1.15 @ 50

Source of Rmf / Rmc

Charts

Rm @ BHT

.37 @ 116

Operating Rig Time

4 Hours

Max Rec. Temp. F

116

Equipment Number

91

Location

Hays

Recorded By

K. Bange

Witnessed By

Bryan Bynog

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858


Palco, S to Red Line rd, 3 W to 380 rd,
2 N to J rd, 1/2 E, S into

Database File: berexco042012hd.db
Dataset Pathname: dil/brxstack
Presentation Format: micro
Dataset Creation: Fri Apr 20 12:09:30 2012
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD






3200

3250

3300

3350

3400




-27

-27

-27

-27

-26





3450

3500

3550

3600






3650

3700

3750

3800



-25

-25

-25

-25

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD