



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-051-26271-00-00

Company TDI, Inc.

Well Bittel #1

Field Ellis Southeast

County Ellis State Kansas

Location

NW NE SW SE
1150' FSL & 1920' FEL

Other Services
DIL
MEL

Sec: 6 Twp: 13S Rge: 20W

Permanent Datum Ground Level Elevation 2155

Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing Elevation
K.B. 2164
D.F.
G.L. 2155

Date 4/18/2012

Run Number One

Type Log CNL / CDL

Depth Driller 3910

Depth Logger 3912

Bottom Logged Interval 3891

Top Logged Interval 3100

Type Fluid In Hole Chemical

Salinity, PPM CL 1500

Density 9.2

Level Full

Max. Rec. Temp. F 115

Operating Rig Time 4 Hours

Equipment -- Location 10 Days

Recorded By D. Schmidt

Witnessed By Herb Deines

Borehole Record

Casing Record

Run No. Bit From To Size Wgt. From To

1 12.25 00 212 8.625 24# 00 212

2 7.875 212 3910

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Ellis,
1 1/4 W on 6th St,
N into

Database File: c:\warrior\data\tdi_bittel #1\tdi_bittel#1hd.db
Dataset Pathname: dil/tdistack
Presentation Format: cdl
Dataset Creation: Thu Apr 19 03:08:49 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
		Correction	0.25
LSPD			











