

Dual Compensated
Porosity Log

DIGITAL LOG

(785) 625-3858

API No.

15-051-26,274-00-00

Company TDI, Inc.

Well Kohl #1

Field Ellis Southeast

County Ellis

State Kansas

Location

E2 NW NW NW
330' FNL & 625' FWLOther Services
DIL/MEL

Sec: 8

Twp: 13S

Rge: 20W

Permanent Datum

Ground Level

Elevation 2142

Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum

K.B. 2151
D.F. 2142
G.L. 2142

Date

4/10/2012

Run Number

One

Type Log

CNL / CDL

Depth Driller

3950

Depth Logger

3950

Bottom Logged Interval

3929

Top Logged Interval

3100

Type Fluid In Hole

Chemical

Salinity, PPM CL

1800

Density

9.2

Level

Full

Max. Rec. Temp. F

116

Operating Rig Time

3 Hours

Equipment -- Location

10 Hays

Recorded By

D. Schmidt

Witnessed By

Herb Deines

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

211

8.625

23#

00

211

Two

7.875

211


TD


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858Ellis,
3/4 W on 6th St,
S intoDatabase File: tdi_kohl_1hd.db
Dataset Pathname: dil/tdistack
Presentation Format: cdl
Dataset Creation: Tue Apr 10 15:01:56 2012
Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16


30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
			LSPD








Database File: tdi_kohl_1hd.db
 Dataset Pathname: dil/tdistack
 Presentation Format: cndlspec
 Dataset Creation: Tue Apr 10 15:01:56 2012
 Charted by: Depth in Feet scaled 1:240











6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)		-10
			2.625	DGA	3.425	-0.25
					Correction	0.25
			10000	Line Tension		0