



DIGITAL LOG (785) 625-3858

Microresistivity Log

API No.	Company Berexco, LLC.				
	Well Benson No. 10				
	Field Morel				
	County	Graham	State	Kansas	
15-065-23,820-00-00	Location	1280' FSL & 430' FWL			Other Services CNL/CDL DIL/BHCS
	Sec: 15	Twp: 9 S	Rge: 21 W		
	Permanent Datum	Ground Level	Elevation 2244	Elevation K.B. 2255 D.F. 2244 G.L. 2244	
	Log Measured From	Kelly Bushing	11 Ft. Above Perm. Datum		
Drilling Measured From	Kelly Bushing				
Date	3/24/2012				
Run Number	Two				
Depth Driller	3881				
Depth Logger	3884				
Bottom Logged Interval	3883				
Top Log Interval	2700				
Casing Driller	8.625 @ 331				
Casing Logger	325				
Bit Size	7.875				
Type Fluid in Hole	Chemical				
Salinity,ppm CL	1,500				
Density / Viscosity	9.1	44			
pH / Fluid Loss	10.5	8.0			
Source of Sample	Flowline				
Rm @ Meas. Temp	.95 @ 55				
Rmf @ Meas. Temp	.71 @ 55				
Rmc @ Meas. Temp	1.28 @ 55				
Source of Rmf / Rmc	Charts				
Rm @ BHT	.45 @ 117				
Operating Rig Time	5 Hours				
Max Rec. Temp. F	117				
Equipment Number	91				
Location	Hays				
Recorded By	K. Bange				
Witnessed By	Bryan Bynog				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858

Palco, 2S to Red Line Rd,
5 W to 370 rd, 2 1/4 N, E into

Database File: c:\warrior\data\berexco_benson no. 10\berxco032412hd.db
Dataset Pathname: dil/brxstack
Presentation Format: micro
Dataset Creation: Sat Mar 24 13:42:53 2012
Charted by: Depth in Feet scaled 1:240

Charted by: Depth in Feet scaled 1:2.15

0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0



2700


2750

2800

2850

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD






-32

-32

-31

-31







3150

3200

3250

3300






3350

3400

3450

3500

3550




-30

-30

-30

-30

-29



3600

3650

3700

3750

