



**GAMMA RAY
CEMENT BOND LOG
CCLVDL**

						GAMMA RAY CEMENT BOND LOG CCLVLD					
Green Country Wireline											
Company KANSAS ENERGY COMPANY Well BP # KEC 6-7 Field PERU-SEDAN County CHAUTAUQUA State KANSAS						Company KANSAS ENERGY COMPANY Well BP # KEC 6-7 Field PERU-SEDAN County CHAUTAUQUA State KANSAS					
Location: API #: 15-019-27165 SW NE SE SE 825' FSL & 495' FEL SEC 6 TWP 34S RGE 12E						Other Services: Elevation 912'					
Permanent Datum Log Measured From						K.B. D.F. G.L. 912'					
Drilling Measured From											
Date	6-25-12										
Run Number	1										
Depth Driller	1140'										
Depth Logger	1101'										
Bottom Logged Interval	1100'										
Top Log Interval	SURFACE										
Open Hole Size	---										
Type Fluid	WATER										
Density / Viscosity	---										
Max. Recorded Temp.	---										
Estimated Cement Top	SURFACE										
Time Well Ready	---										
Time Logger on Bottom	---										
Equipment Number	3										
Location	DEWEY										
Recorded By	HERRIN										
Witnessed By	MR JONES										
Borehole Record						Tubing Record					
Run Number	Bit	From	To	Size	Weight	From	To				
Casing Record	Size	Wgt/Ft			Top	Bottom					
Surface String	8.625"				SURFACE	40'					
Prot. String											
Production String	4.5"				SURFACE	TD					
Liner											

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



GAMMA RAY CEMENT BOND


Database File: bp67.db
Dataset Pathname: bp67/run1/pass1
Presentation Format: cbl_dr
Dataset Creation: Mon Jun 25 09:16:07 2012 by Log Std Casedhole 09061
Charted by: Depth in Feet scaled 1:240

9	Collar Locator	-1	-1	Amplitude (mV)	105	200	Variable Density	120
0	Gamma Ray (GAPI) (GAPI)	60	1000	Travel Time (usec)	250			



Collar Locator	-1
Gamma Ray (GAPI) (GAPI)	60

-1	Amplitude (mV)	105	200	Variable Density	1200
1000	Travel Time (usec)	250			





50


100

150

200

250





250



300


350

400

450

500





500



550


600

650

700

750





750
800
850
900
950
1000

