



Microresistivity Log

DIGITAL LOG (785) 625-3858

API No. 15-147-20671-00-00		Company Bach Oil Production	
Well Pete's Pond #1		Location NE SE NE SW 1750' FSL / 2416' FWL	
Field Wildcat		Other Services CNL/CDL DIL	
County Phillips		State Kansas	
Sec: 14		Twp: 1S Rge: 19W	
Permanent Datum Log Measured From Drilling Measured From		Ground Level Kelly Bushing Kelly Bushing	
Elevation 2073 5 Ft. Above Perm. Datum		K.B. 2078 D.F. G.L. 2073	
Date 3/18/2012			
Run Number Two			
Depth Driller 3580			
Depth Logger 3580			
Bottom Logged Interval 3579			
Top Log Interval 2900			
Casing Driller 8.625 @ 227			
Casing Logger 225			
Bit Size 7.875			
Type Fluid in Hole Chemical			
Salinity, ppm CL 1000			
Density / Viscosity 9.0 54			
pH / Fluid Loss 10.5 8.0			
Source of Sample Flowline			
Rm @ Meas. Temp 1.00 @ 70			
Rmf @ Meas. Temp 0.75 @ 70			
Rmc @ Meas. Temp 1.35 @ 70			
Source of Rmf / Rmc Charts			
Rm @ BHT 0.63 @ 112			
Operating Rig Time 4 Hours			
Max Rec. Temp. F 112			
Equipment Number 15			
Location Hays			
Recorded By R. Barnhart			
Witnessed By Bob Petersen			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Phillipsburg, KS:
N to Hwy. 383, 3W to 500 Rd.
2 1/2S to Dakota Rd., 1/2W, N into

Database File: bachhd.db
Dataset Pathname: dil/bchmain
Presentation Format: micro
Dataset Creation: Sun Mar 18 13:37:01 2012
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0




2900

2950

3000

3050

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0






-35

-34

-34

-34







3350

3400

3450


3500





0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

3550



0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0

LSPD