



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-147-20671-00-00

Company Bach Oil Production

Well Pete's Pond #1

Field Wildcat

County Phillips

State Kansas

Location

NE SE NE SW
1750' FSL / 2416' FWL

Other Services
DIL/MEL

Sec: 14

Twp: 1S

Rge: 19W

Permanent Datum Ground Level Elevation 2073

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

K.B. 2078
D.F.
G.L. 2073

Date 3/18/2012

Run Number One

Type Log CNL / CDL

Depth Driller 3580

Depth Logger 3580

Bottom Logged Interval 3559

Top Logged Interval 2900

Type Fluid In Hole Chemical

Salinity, PPM CL 1000

Density 9.0

Level Full

Max. Rec. Temp. F 112

Operating Rig Time 4 Hours

Equipment -- Location 15 Hays

Recorded By R. Barnhart

Witnessed By Bob Petersen

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One 12.25

00

227

8.625

23#

00

227

Two 7.875

227

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Phillipsburg, KS:
N to Hwy. 383, 3W to 500 Rd.
2 1/2S to Dakota Rd., 1/2W, N into

Database File: bachhd.db
Dataset Pathname: dil/bchmain
Presentation Format: cdl
Dataset Creation: Sun Mar 18 13:37:01 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			









