

LOG-TECH



Dual Induction Log

DIGITAL LOG

(785) 625-3858

API No.

15-147-20671-00-00

Company Bach Oil Production

Well Pete's Pond #1

Field Wildcat

County Phillips State

Kansas

Location

NE SE NE SW
1750' FSL / 2416' FWL

Sec: 14

Twp: 1S

Rge: 19W

Other Services
CNL / CDL
MEL

Permanent Datum

Ground Level

Elevation 2073

Log Measured From

Kelly Bushing

5 Ft. Above Perm. Datum

K.B. 2078
D.F.
G.L. 2073

Drilling Measured From

Kelly Bushing

Date

3/18/2012

Run Number

One

Depth Driller

3580

Depth Logger

3580

Bottom Logged Interval

3579

Top Log Interval

200

Casing Driller

8.625 @ 227

Casing Logger

225

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

1000

Density / Viscosity

9.0

54

pH / Fluid Loss

10.5

8.0

Source of Sample

Flowline

Rm @ Meas. Temp

1.00 @ 70

Rmf @ Meas. Temp

0.75 @ 70

Rmc @ Meas. Temp

1.35 @ 70

Source of Rmf / Rmc

Charts

Rm @ BHT

0.63 @ 112

Operating Rig Time

4 Hours

Max Rec. Temp. F

112

Equipment Number

15

Location

Hays

Recorded By

R. Barnhart

Witnessed By

Bob Petersen

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Phillipsburg, KS:
N to Hwy. 383, 3W to 500 Rd.
2 1/2S to Dakota Rd., 1/2W, N into



Database File: bachhd.db
Dataset Pathname: dil/bchmain
Presentation Format: dil2in
Dataset Creation: Sun Mar 18 13:37:01 2012
Charted by: Depth in Feet scaled 1:600



0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500














2850

2900

2950

3000

3050

3100


3150

3200

3250

3300

3350



-97

-35

-34

-34

-34

-34


-34


-34

-34



-34

-34





Database File: bachhd.db
 Dataset Pathname: dil/bchmain
 Presentation Format: dil
 Dataset Creation: Sun Mar 18 13:37:01 2012
 Charted by: Depth in Feet scaled 1:240






0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



2950

-34-




3000

3050

3100

3150

3200




-34

-34

-34

-34

-34




3250

3300

3350

3400




-34

-34

-34


-33



3450

3500

3550



-33

-33

-33

LSPD