



Radiation Guard
Log

DIGITAL LOG (785) 625-3858

API No.		Company Craig Oil Company	
15-167-23,755-00-00		Well H. J. Mai No. 4	
Field Trapp		County Russell State Kansas	
Location N2 - NE - NW 330' FNL & 1980' FWL		Other Services MEL	
Sec: 23 Twp: 15 S Rge: 14 W		Elevation K.B. 1918 D.F. 1911 G.L. 1911	
Permanent Datum Ground Level		Elevation 1911	
Log Measured From Kelly Bushing		7 Ft. Above Perm. Datum	
Drilling Measured From Kelly Bushing			
Date	11/22/2011		
Run Number	One		
Depth Driller	3420		
Depth Logger	3422		
Bottom Logged Interval	3421		
Top Log Interval	900		
Casing Driller	8.625 @ 920		
Casing Logger	920		
Bit Size	7.875		
Type Fluid in Hole	Chemical		
Salinity, ppm CL	4000		
Density / Viscosity	9.2 51		
pH / Fluid Loss	9.5 8.8		
Source of Sample	Flowline		
Rm @ Meas. Temp	.70 @ 52		
Rmf @ Meas. Temp	.53 @ 52		
Rmc @ Meas. Temp	.95 @ 52		
Source of Rmf / Rmc	Charts		
Rm @ BHT	.33 @ 110		
Operating Rig Time	2 Hours		
Max Rec. Temp. F	110		
Equipment Number	17		
Location	Hays		
Recorded By	D. Martin	C. Desaire	
Witnessed By	Ward Craig	Francis Whisler	


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Russell, KS I-70 8 S to Winterset Rd.,
1/4 W, S Into





1450

1500

1550

1600

1650

1700


1750

1800

1850

1900

1950



-81

-80

-80

-80

-80

-80


-80

-80

-80

-80

-80



2000

2050

2100

2150

2200

2250


2300

2350

2400

2450

2500



-80

-80

-78

-78

-78

-78


-78

-78

-78

-77

-78



2550

2600

2650

2700

2750

2800


2850

2900

2950

3000

3050



-78

-78

-77

-79

-30

-30


-30

-32


-32


-32

-32



Database File: c:\warrior\data\craig oil_h. j. mai no. 4\craighd.db
 Dataset Pathname: RAG/crarag
 Presentation Format: rag
 Dataset Creation: Wed Nov 23 11:41:51 2011
 Charted by: Depth in Feet scaled 1:240





Database File: c:\warrior\data\craig oil_h. j. mai no. 4\craighd.db
 Dataset Pathname: RAG/crarag
 Presentation Format: rag
 Dataset Creation: Wed Nov 23 11:41:51 2011
 Charted by: Depth in Feet scaled 1:240

