



**Borehole Compensated  
Sonic Log**

**DIGITAL LOG (785) 625-3858**

15-185-23,662-00-00

API No.

Company **G and T Petroleum Consulting**  
 Well **Ruth Johnson No. 1**  
 Field **Rattlesnake West**  
 County **Stafford** State **Kansas**

Location  
**SE NW NE NW  
 358' FNL & 1712' FWL**

Sec: **14** Twp: **24S** Rge: **14W**

Other Services  
 CNL/CDL  
 MEL/DIL

Permanent Datum **Ground Level** Elevation **1941**  
 Log Measured From **Kelley Bushing** **5** Ft. Above Perm. Datum  
 Drilling Measured From **Kelley Bushing**

Elevation  
 K.B. 1946  
 D.F. 1941  
 G.L. 1941

Date	10/25/2011	
Run Number	Two	
Type Log	BHC Sonic	
Depth Driller	4150	
Depth Logger	4147	
Bottom Logged Interval	4136	
Top Logged Interval	200	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	12,800	
Density	9.5	
Level	Full	
Max. Rec. Temp. F	118	
Operating Rig Time	4 1/2 Hours	
Equipment -- Location	17 Hays	
Recorded By	D. Martin	
Witnessed By	Josh Austin	

**Borehole Record**

**Casing Record**

Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	209	8.625	24#	00	209
2	7.875	209	4150				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

**Comments**

Thank you for using Log-Tech, Inc.  
 (785) 625-3858

K283 & US50  
 5 W, 1 N, 1/4 E, S Into

Database File: c:\warrior\data\g & t petroleum\_ruth johnson no. 1\g&thd.db  
 Dataset Pathname: DIL/gtstk  
 Presentation Format: sonic  
 Dataset Creation: Tue Oct 25 18:25:49 2011  
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0

LSPD





































