Green Country Wireline

GAMMA RAY
CEMENT BOND LOG
CCL VDL

Company PRODUCTION MAINTENANCE SERVICE
Well HAYDEN-PMS # 2
Field TYRO
County MONTGOMERY
State KANSAS

Company PRODUCTION MAINTENANCE SERVICE

Well HAYDEN-PMS # 2

Field TYRO

County MONTGOMERY State KANSAS

Location: API # :

SEC 23 TWP 34S RGE 14E

Other Services

		Elevation
Permanent Datum	G.L.	K.B.
Log Measured From	G.L.	D.F.
Drilling Measured From	G.L.	G.L.

Date	10-15-12		
Run Number	ONE		
Depth Driller	N/A		
Depth Logger	756'		
Bottom Logged Interval	755'		
Top Log Interval	SURFACE		
Open Hole Size	----		
Type Fluid	WATER		
Density / Viscosity	----		
Max. Recorded Temp.	----		
Estimated Cement Top	SURFACE		
Time Well Ready	----		
Time Logger on Bottom	----		
Equipment Number	3		
Location	DEWEY		
Recorded By	HERREN		
Witnessed By	M.McCLENNING		

Borehole Record				Tubing Record			
Run Number	Bit	From	To	Size	Weight	From	To

Casing Record	Size	Wgt/Ft	Top	Bottom
Surface String				
Prot. String				
Production String	4.5"		SURFACE	TD
Liner				

<< Fold Here >>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Green Country Wireline

GR CBL CCL VDL

Database File: hayden2.db
Dataset Pathname: hayden2/run1/pass1
Presentation Format: cbl_dl
Dataset Creation: Mon Oct 15 14:32:01 2012 by Log Std Cassedhole 00061


9
Collar Locator
-1
0
Gamma Ray (GAPI) (GAPI)
60
-2
Amplitude (mV)
150
1000
Travel Time (usec)
275
200
Variable Density
1200
Fluid Level
100
150
200
250


300
350
400
450
500


550
600
650
640'-650'
20 SHOTS
10-15-12
700
750
Gamma Ray RD 755'
TD 756'
HAYDEN # 2
CBL RD 744'
9 Collar Locator -1
0 Gamma Ray (GAPI) (GAPI) 60
-2 Amplitude (mV) 150
1000 Travel Time (usec) 275
200 Variable Density 1200