



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company ETERNITY EXPLORATION, LLC.		Company ETERNITY EXPLORATION, LLC.
Well KD GEORGE #1-25	Well KD GEORGE #1-25	
Field	Field	
County THOMAS	County THOMAS	State KANSAS
State KANSAS	State KANSAS	
Location: API # : 15-193-20851		Other Services CDL/CNL DIL
SEC 25 TWP 10S RGE 32W		
Permanent Datum Log Measured From	GROUND LEVEL Elevation 3021	Elevation K.B. 3026 D.F. G.L. 3021
Drilling Measured From	KELLY BUSHING 5' A.G.L. KELLY BUSHING	
Date 5-30-12		
Run Number TVMO		
Depth Driller 4690		
Depth Logger 4690		
Bottom Logged Interval 4687		
Top Log Interval 3500		
Casing Driller 244		
Casing Logger 244		
Bit Size 7.875		
Type Fluid in Hole CHEMICAL MUD		
Density / Viscosity 9.3 / 57		
pH / Fluid Loss 11.0 / 7.6		
Source of Sample FLOWLINE		
Rim @ Meas. Temp 0.95 @ 88F		
Rmf @ Meas. Temp 0.71 @ 88F		
Rmc @ Meas. Temp 1.14 @ 88F		
Source of Rmf / Rmc MEASURED		
Rim @ BHT .690 @ 122F		
Time Circulation Stopped 3 HOURS		
Time Logger on Bottom 10:30 P.M.		
Maximum Recorded Temperature 122F		
Equipment Number 860		
Location HAYS, KS.		
Recorded By RUPP		
Witnessed By BRUCE ARD	CARLO A. UGOLINI	

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: OAKLEY & MAIN ST., N TO "T", 1 BLOCK EAST TO RD #30, 1 1/2N, E INTO.




SUPERIOR
Hays,
Kansas


MAIN SECTION

Database File: 008779ddn.db
 Dataset Pathname: pass6.A
 Presentation Format: micro
 Dataset Creation: Thu May 31 04:46:20 2012
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150
6	MELCAL (in)	16
0	MINMK	20

0	MEL1.5 (Ohm-m)	40
0	MEL2.0 (Ohm-m)	40







3700

3750

3800

3850






3900


3950

4000

4050

4100







4150

4200

4250

4300






4350


4400

4450

4500

4550







SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 008779ddn.db
 Dataset Pathname: pass5.1
 Presentation Format: micro
 Dataset Creation: Thu May 31 03:26:31 2012 by Calc Open-Cased 090629
 Charted by: Depth in Feet scaled 1:240




MELCAL (in) 16
MINMK 20



4500
4550
4600
4650
4700

MEL2.0 (Ohm-m) 40



MEL1.5 (Ohm-m) 40

6	MELCAL (in)	16
0	MINMK	20

0	MEL2.0 (Ohm-m)	40
---	----------------	----

Calibration Report			
Database File:	008779ddn.db		
Dataset Pathname:	pass6.A		
Dataset Creation:	Thu May 31 04:46:20 2012		
MICRO Calibration Report			
Serial Number:	MICRO4		
Tool Model:	PROBE		
Performed:	Thu May 31 03:24:12 2012		
Caliper Calibration:	Gain=1.157	Offset=1.494	
	Low Cal	High Cal	
References	7.800	11.000	
Readings	5.449	8.214	
1.5" Calibration:	Gain=40.000	Offset=-0.400	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.009	1.541	
2" Calibration:	Gain=46.000	Offset=0.600	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.004	1.198	
Gamma Ray Calibration Report			
Serial Number:	GR5		
Tool Model:	OPEN		
Performed:	Thu May 31 03:27:41 2012		
Calibrator Value:	1.0	GAPI	
Background Reading:	0.0	cps	
Calibrator Reading:	1.0	cps	
Sensitivity:	0.6800	GAPI/cps	