



SUPERIOR
Hays,
Kansas

MICRO LOG

Company	VINCENT OIL CORPORATION	Company	VINCENT OIL CORPORATION
Well	McCARTY #4-36	Well	McCARTY #4-36
Field	WILDCAT	Field	WILDCAT
County	FORD	County	FORD
State	KANSAS	State	KANSAS
Location:	APL # : 15-057-20796-0000	Other Services CDL/CNL/PE DIL/SONIC	
Permanent Datum	GROUND LEVEL	Elevation	2505
Log Measured From	KELLY BUSHING 8' A.G.L.		
Drilling Measured From	KELLY BUSHING		
SEC 36	TWP 28S	RGE 23W	
520' FNL & 460' FEL			
4/28/12	TWO		
5380			
5374			
5352			
4200			
8 5/8" @ 652'			
652			
7 7/8"			
CHEMICAL MUD	CHLORIDES 6,100 PPM		
9.3/49			
10.5/9.2			
FLOWLINE			
.600 @ 80F			
.450 @ 80F			
.720 @ 80F			
MEASUREMENT			
.375 @ 128F			
5 HOURS			
6:15 A.M.			
128F			
4010			
HAYS, KANSAS			
JEFF LUEBBERS			
KEN LeBLANC			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS

FORD, KS. @ COOP ELEVATOR, S. ON BLKTOP TO "T", W. TO CURVE, 1 MORE W. ON DIRT RD., 1S., W.






SUPERIOR
Hays,
Kansas



MAIN SECTION


Database File: 408757pe.db
Dataset Pathname: pass7.1
Presentation Format: micro
Dataset Creation: Sat Apr 28 10:16:38 2012
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		












4850


4900

4950

5000









SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 408757pe.db
 Dataset Pathname: pass6.2
 Presentation Format: micro
 Dataset Creation: Sat Apr 28 09:20:52 2012
 Charted by: Depth in Feet scaled 1:240






5200

5250

5300

5350



0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3) 10			

Calibration Report					
Database File:	408757pe.db				
Dataset Pathname:	pass6.2				
Dataset Creation:	Sat Apr 28 09:20:52 2012				
MICRO Calibration Report					
Serial Number:	MICRO5				
Tool Model:	PROBE				
Performed:	Thu Apr 26 10:39:10 2012				
Caliper Calibration:	Gain=2.846	Offset=-0.500			
References	Low Cal	High Cal			
Readings	8.300	14.500			
	3.092	5.270			
1.5" Calibration:	Gain=20.000	Offset=0.500			
References	Low Cal	High Cal			
Readings	0.000	20.000			
	-0.002	0.981			
2" Calibration:	Gain=40.000	Offset=0.000			
References	Low Cal	High Cal			
Readings	0.000	20.000			
	0.002	0.898			
Gamma Ray Calibration Report					
Serial Number:	GR4				
Tool Model:	OPEN				
Performed:	Sat Apr 28 08:37:44 2012				
Calibrator Value:	200.0	GAPI			
Background Reading:	0.0	cps			
Calibrator Reading:	189.0	cps			
Sensitivity:	1.0000	GAPI/cps			