



SUPERIOR
Hays,
Kansas

MICRO
LOG

Company CORAL PRODUCTION CORPORATION	
Well MONGEAU #18-1	
Field	
County ROOKS	
State KANSAS	
Company CORAL PRODUCTION CORPORATION	
Well MONGEAU #18-1	
Field	
County ROOKS	State KANSAS
Location: API # : 15-163-24052-0000 990' FSL & 330' FEL NE - SE - SE	
Permanent Datum Log Measured From Drilling Measured From	GROUND LEVEL Elevation 1935 KELLY BUSHING & A.G.L. KELLY BUSHING
SEC 18 TWP 7S RGE 18W	Other Services CDL/CNL DIL
Elevation K.B. 1943 D.F. 1941 G.L. 1935	
Date 7/13/12	
Run Number TWO	
Depth Driller 3430	
Depth Logger 3430	
Bottom Logged Interval 3427	
Top Log Interval 2800	
Casing Driller 8 5/8" @ 1260	
Casing Logger 1262	
Bit Size 7 7/8	
Type Fluid in Hole CHEMICAL MUD	CHLORIDES 750 PPM
Density / Viscosity 8.9/48	
pH / Fluid Loss 10.0/8.0	
Source of Sample FLOWLINE	
Rin @ Meas. Temp 1.20 @ 86F	
Rmf @ Meas. Temp 0.90 @ 86F	
Rmc @ Meas. Temp 1.44 @ 86F	
Source of Rmf / Rmc MEASURED	
Rin @ BHT 0.93 @ 111F	
Time Circulation Stopped 2 HOURS	
Time Logger on Bottom	
Maximum Recorded Temperature 111F	
Equipment Number 680	
Location HAYS, KS.	
Recorded By JEFF GRONEMEG	
Witnessed By TIM LAUER	


<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE (785) 628-6395
DIRECTIONS
STOCKTON, KS - WEST 5 MILES TO RD 14 - 1 1/4 MILES NORTH - WEST INTO

Charted by: _____ Depth in Feet scaled 1:2.15									
0	GAMMA RAY (GAPI)		150	ABHV		0	MEL1.5 (Ohm-m)		40
6	CALIPER (in)		16	10 (ft3)	0	0	MEL2.0 (Ohm-m)		40
				TBHV					
				0 (ft3) 10					






3000


3050

3100

3150

3200





0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			



SUPERIOR

Hays,
Kansas

REPEAT SECTION

Database File:

009463ddn.db

Dataset Pathname:

pass4.1

Presentation Format:

_micro


Dataset Creation:


Fri Jul 13 11:10:20 2012 by Calc Open-Cased 090629

Charted by:

Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3) 0 0	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3) 10			





Calibration Report			
Database File:	009463ddn.db		
Dataset Pathname:	pass5.3		
Dataset Creation:	Fri Jul 13 11:08:37 2012 by Calc Open-Cased 090629		
MICRO Calibration Report			
Serial Number:	MICRO6		
Tool Model:	PROBE		
Performed:	Wed May 23 05:16:50 2012		
Caliper Calibration:	Gain=6.253	Offset=-1.308	
	Low Cal	High Cal	
References	5.800	13.000	
Readings	1.178	2.330	
1.5" Calibration:	Gain=30.075	Offset=-0.700	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.004	1.196	
2" Calibration:	Gain=32.041	Offset=0.000	
	Low Cal	High Cal	
References	0.000	20.000	
Readings	0.006	0.913	
Gamma Ray Calibration Report			
Serial Number:	#8		
Tool Model:	OPEN		
Performed:	Mon Jun 13 16:56:43 2011		
Calibrator Value:	150.0	GAPI	

Calibrator Value:	150.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	175.0	cps
Sensitivity:	0.8371	GAPI/cps