



**Weatherford**<sup>®</sup>

**COMPACT PHOTO DENSITY  
COMPENSATED NEUTRON  
MICRORESISTIVITY LOG**

**GRAND MESA OPERATING COMPANY**

**PHILLIP # 1-26**


**WILDCAT**

**GOVE**

**U.S.A. / KANSAS**

**2180' FNL & 1707' FWL**

**NW SW SE NW**



**PROVINCE/COUNTY**

**COUNTRY/STATE**

**LOCATION**

**SEC**

**26**

**TWP**

**13S**

**RGE**

**31W**

**Other Services**

**MA/MI/FE**

**Permit Number**

**15-063-22000**

**MSS**

**Permanent Datum G.L., Elevation 2851 feet**

**Log Measured From KB**

**Drilling Measured From K.B.**

**Elevations:**

**KB**

**DF**

**GL**

**2856.00**

**2854.00**

**2851.00**

**feet**

**Date**

**03-JUN-2012**

**Run Number**

**ONE**

**Depth Driller**

**4631.00**

**Depth Logger**

**4638.00**

**First Reading**

**4604.00**

**Last Reading**

**3600.00**

**Casing Driller**

**210.00**

**Casing Logger**

**207.00**

**Bit Size**

**7.875**

**Hole Fluid Type**

**CHEMICAL**

**Density / Viscosity**

**9.20 lb/USg**

**PH / Fluid Loss**

**10.50**

**Sample Source**

**FLOWLINE**

**Rm @ Measured Temp**

**0.92 @ 81.0**

**Rmf @ Measured Temp**

**0.74 @ 81.0**

**Rmc @ Measured Temp**

**1.10 @ 81.0**

**Source Rmf / Rmc**

**CALC**

**Rm @ BHT**

**0.61 @125.0**

**Time Since Circulation**

**7 HOURS**

**Max Recorded Temp**

**126.00**

**Equipment Name**

**COMPACT**

**Equipment / Base**

**13057**

**Recorded By**

**A. GIAMBALVO**

**Witnessed By**

**BOB SCHRIBER**

**S.O. / JOB #**

**3534584**

**LB12-138**

**BOREHOLE RECORD**

Last Edited: 04-JUN-2012 02:20

<b>Bit Size</b> inches	<b>Depth From</b> feet	<b>Depth To</b> feet
7.875	207.00	4638.00


**CASING RECORD**


<b>Type</b>	<b>Size</b> inches	<b>Depth From</b> feet	<b>Shoe Depth</b> feet	<b>Weight</b> pounds/ft
SURFACE	8.625	5.00	207.00	24.00

**REMARKS**

Tools Ran: MCG, MML, MDN, MPD, MFE, MSS, MAI.  
 Hardware Used: MDN Dual Eccentralizer used. MPD 8 inch profile plate used. MFE, MSS and MAI 0.5 inch standoffs used.  
 2.71 g/cc Limestone Density Matrix used to calculate porosity.  
 All intervals logged and scaled per customer's request.  
 Annular volume with 5.5 inch production casing calculated0 = 192 cu. ft.  
 Service order #3534584  
 Rig: Murfin Rig # 24  
 Engineer: A. Giambalvo  
 Operator(s): K. Rinehart

All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not, guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or wilful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions in our price schedule.







Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 04-JUN-2012 02:28  
 Filename: C:\Minimus 11.03.4044\Data\Gra...\Grand Mesa Operating Company Phillip # 1-26 Splice.dta Recorded on 03-JUN-2012 22:06  
 System Versions: Plotted with 11.03.4044


↑ **5 INCH ANHYDRITE** ↑


↓ **5 INCH MAIN PASS** ↓


Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 04-JUN-2012 02:28  
 Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_004.dta Recorded on 03-JUN-2012 22:06  
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044















4650

4660

Depth in Feet

Borehole Temp in deg F

HVI every 10 cu ft

Annular Integral every

Timing Marks every 60.0 sec

Gamma Ray API

0 75 150

Density Caliper inches

6 11 16

Bit Size

Limestone Neutron Por. percent

30 20 10 0 -10


Limestone Density Por. percent

30 20 10 0 -10

PE barns/electron

Density Correction grams/cc

0 5 10 -0.25 0 0.25



10 cu ft →

Replay  
Scale  
1:240




Depth Based Data - Maximum Sampling Increment 10.0cm  
 Plotted on 04-JUN-2012 02:28  
 Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_004.dta  
 Recorded on 03-JUN-2012 22:06  
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044

↑ 5 INCH MAIN PASS ↑

↓ 10 INCH HI RESOLUTION ↓

Depth Based Data - Maximum Sampling Increment 2.5cm  
 Plotted on 04-JUN-2012 02:28  
 Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_006.dta  
 Recorded on 03-JUN-2012 23:05  
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044





Depth  
in  
Feet

Borehole  
Temp in  
deg F




HVI  
every  
10 cu ft


Annular  
Integral  
every  
10 cu ft

Replay  
Scale  
1:120



3850







118°

3900

119°

3950





119°


4000

120°

4050

200

120°




PE

Limestone Density Por.

Density Correction

Limestone Neutron Por.



4100


100



120°


4150

121°


4200








100  
122°  
4350  
123°  
4400








124°


4450

125°

4500







4650

4658


Depth  
in  
Feet

Borehole  
Temp in  
deg F

HVI  
every  
10 cu ft

Annular  
Integral  
every  
10 cu ft

Replay  
Scale  
1:120




Depth Based Data - Maximum Sampling Increment 2.5cm Plotted on 04-JUN-2012 02:28  
 Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_006.dta Recorded on 03-JUN-2012 23:05  
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044

↑ 10 INCH HI RESOLUTION ↑


↓ 5 INCH REPEAT PASS ↓


Depth Based Data - Maximum Sampling Increment 10.0cm Plotted on 04-JUN-2012 02:28  
 Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_003.dta Recorded on 03-JUN-2012 21:40  
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044





Depth  
in  
Feet

Borehole  
Temp in  
deg F










Depth Based Data - Maximum Sampling Increment 10.0cm  
 Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_003.dta  
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044  
 Plotted on 04-JUN-2012 02:28  
 Recorded on 03-JUN-2012 21:40

↑ 5 INCH REPEAT PASS ↑

↓ 5 INCH ANHYDRITE ↓

Depth Based Data - Maximum Sampling Increment 10.0cm  
 Filename: C:\Minimus 11.03.4044\Data\Gra...\Grand Mesa Operating Company Phillip # 1-26 Splice.dta  
 System Versions: Plotted with 11.03.4044  
 Plotted on 04-JUN-2012 02:28  
 Recorded on 03-JUN-2012 22:06





Gamma Ray  
API  
75  
0 150

Density Caliper  
inches  
11  
6 16

Bit Size  
inches  
11  
6 16

DST Uphole Tension  
pounds  
5000 0

Borehole  
Temp in  
deg F

HVI  
every  
10 cu ft




Annular  
Integral  
every  
10 cu ft


Replay  
Scale  
1:240

3600  
116°  
3650  
117°  
3700


Limestone Density Por.  
percent  
30 20 10 0 -10

PE  
barns/electron  
0 5 10  
Density Correction  
grams/cc  
-0.25 0 0.25







117°  
3750  
300  
117°  
3800  
118°  
3850  
118°  
3900  
119°  
3950




Limestone Density Por. →  
PE →  
Compensated Density →  
Density Correction →





121°  
4200  
121°  
4250  
121°  
4300  
100 122°  
4350  
123°



Bit Size

Density Caliper

Gamma-Ray


DSI Uphole Tension


PE

Limestone Density Por.

Compensated Density

Density Correction









**5 INCH MAIN PASS**



**10 INCH HI RESOLUTION**


Depth Based Data - Maximum Sampling Increment 2.5cm  
 Plotted on 04-JUN-2012 02:28  
 Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_006.dta  
 Recorded on 03-JUN-2012 23:05  
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044












4150


121°

4200

121°

4250







122°

4300

100 122°

4350






123°

4400

124°

4450




PE →

Limestone Density Por.

Vector Processed Density

Density Correction →





125°

4500

126°

4550





125°

4600

0

4650

4658  
Depth  
in  
Feet

← Timing Marks  
every 60.0 sec

Gamma Ray  
API  
0 75 150


Density Caliper  
inches  
6 11 16

Bit Size



Borehole  
Temp in  
deg F


HVI  
every  
10 cu ft

Annular  
Integral  
every  
10 cu ft




FR PE FR Vector Processed Density Correction







Depth Based Data - Maximum Sampling Increment 2.5cm Plotted on 04-JUN-2012 02:28  
 Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_006.dta Recorded on 03-JUN-2012 23:05  
 System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044


10 INCH HI RESOLUTION





4350  
122°  
4400  
123°  
4450  
124°  
4500  
124°  
4550





124°




4600

0

4650

4658

Depth in Feet



Depth Based Data - Maximum Sampling Increment 10.0cm

Plotted on 04-JUN-2012 02:28

Filename: C:\Minimus 11.03.4044\Data\Gran...\Grand Mesa Operating Company Phillip # 1-26\_003.dta

Recorded on 03-JUN-2012 21:40

System Versions: Logged with 11.03.4044 Processed with 11.03.4044 Plotted with 11.03.4044

## BEFORE SURVEY CALIBRATION

C:\Minimus 11.03.4044\Data\Grand Mesa Operating Company Phillip # 1-26\Grand Mesa Operating Company Phillip # 1-26\_003.dta

General Constants All 000

Last Edited on 03-JUN-2012,20:21

General Parameters

Mud Resistivity	0.920	ohm-metres
Mud Resistivity Temperature	81.000	degrees F
Water Level	0.000	feet
Density/Neutron Processing	Wet Hole	

Hole/Annular Volume and Differential Caliper Parameters

HVOL Method	Single Caliper	
HVOL Caliper 1	Density Caliper	
HVOL Caliper 2	N/A	
Annular Volume Diameter	5.500	inches
Caliper for Differential Caliper	Density Caliper	

Rwa Parameters

Porosity used	Base Density Porosity
Resistivity used	Array Ind. Four Res Rt
RWA Constant A	0.610
RWA Constant M	2.150

Gamma Calibration MCG-C 84

Field Calibration on 31-MAY-2012 09:46

	Measured	Calibrated (API)
Background	66	44
Calibrator (Gross)	1148	769
Calibrator (Net)	1082	725

Gamma Constants MCG-C 84

Last Edited on 03-JUN-2012,20:21

Gamma Calibrator Number	GR38	
Mud Density	1.10	gm/cc
Caliper Source for Processing	Density Caliper	
Tool Position	Eccentred	
Concentration of KCl	0.00	kppm

SP Calibration MCG-C 84

Field Calibration on 28-MAY-2012,07:31

	Measured	Calibrated (mV)
Reference 1	103.5	100.0
Reference 2	-96.9	-100.0

High Resolution Temperature Calibration MCG-C 84

Field Calibration on 28-MAY-2012,07:32

	Measured	Calibrated(Deg F)
Lower	50.00	50.00
Upper	75.00	75.00

High Resolution Temperature Constants MCG-C 84

Last Edited on

Pre-filter Length	11
-------------------	----

Caliper Calibration MML-A 16

Base Calibration on 23-MAY-2012 11:59  
Field Calibration on 31-MAY-2012 09:39

Base Calibration

Reading No	Measured	Calibrator Size (in)
1	14501	5.98
2	17771	7.97
3	21107	9.86
4	24905	11.92
5	0	0.00
6	N/A	N/A

Field Calibration

Measured Caliper (in)	Actual Caliper (in)
6.01	5.98

Micro Normal and Micro Inverse Calibration MML-A 16

Base Calibration on 23-MAY-2012 12:04  
Field Check on 31-MAY-2012 09:40

Base Calibration

Channel	Measured		Calibrated (ohm-m)	
	Resistor 1	Resistor 2	Resistor 1	Resistor 2
Micro Normal	12.2	60.2	5.0	25.0
Micro Inverse	15.6	78.3	5.0	25.0
Channel	Base Check (ohm-m)		Field Check (ohm-m)	
Micro Normal	62.9		62.9	
Micro Inverse	48.2		48.2	

Micro Normal and Micro Inverse Constants MML-A 16

Last Edited on 03-JUN-2012,13:49

Pad Type	8-12 in Soft Rubber Inflatable 006-9011-159		
Micro Normal K Factor	1.0000		
Micro Inverse K Factor	1.0000		
Standoff Offset	N/A	inches	

Neutron Calibration MDN-A.B 65

Base Calibration on 23-MAY-2012 14:31

Field Check on 31-MAY-2012 09:51

Base Calibration	Measured		Calibrated (cps)	
	Near	Far	Near	Far
Ratio	3164	98	3714	110
	32.187		33.764	
Field Calibrator at Base			Calibrated (cps)	
Ratio			1615	2315
			0.697	
Field Check			Calibrated (cps)	
Ratio			1630	2345
			0.695	

Neutron Constants MDN-A.B 65

Last Edited on 03-JUN-2012,20:22

Neutron Source Id	PN-521		
Neutron Jig Number	5824NE		
Epithermal Neutron	No		
Caliper Source for Processing	Density Caliper		
Stand-off	0.00	inches	
Mud Density	1.00	gm/cc	
Limestone Sigma	7.10	cu	
Sandstone Sigma	4.26	cu	
Dolomite Sigma	4.70	cu	
Formation Pressure Source	Constant Value		
Formation Pressure	0.00	kpsi	
Temperature Source	Constant Value		
Temperature	68.00	degrees F	
Mud Salinity	0.00	kppm	
Formation Fluid Salinity Source	Constant Value		
Formation Fluid Salinity	0.00	kppm	
Barite Mud Correction	Not Applied		

FE Calibration MFE-A.A 55

Base Calibration on 23-MAY-2012 09:37

Field Check on 31-MAY-2012 09:30

Base Calibration	Measured		Calibrated (ohm-m)	
	Reference 1	0.0		0.0
Reference 2	951.5		126.8	
Base Check			281.5	
Field Check			281.6	

FE Constants MFE-A.A 55

Last Edited on 03-JUN-2012,13:50

Running Mode	No Sleeve		
MFE K Factor	0.1268		
Caliper Source for FE correction	Density Caliper		
Caliper Value for FE correction	N/A	inches	
Rm Source for FE correction	Temperature Corr		
Temp. for Rm Corr.	MCG External Temperature		



Channel	Base Check (mmho/m)		Field Check (mmho/m)	
	Low	High	Low	High
1	0.0	0.0	18.3	3851.3
2	0.0	0.0	31.6	3629.3
3	0.0	0.0	28.5	3049.3
4	0.0	0.0	18.2	2079.0
Deep	0.0	0.0	16.0	1911.0
Medium	0.0	0.0	42.4	4060.5
Shallow	0.0	0.0	49.4	5483.1
Array Temperature		0.0	70.7	Deg F

Induction Constants MAI-A.A 45

Last Edited on 03-JUN-2012,20:22

Induction Model	RtAP-WBM		
Caliper for Borehole Corr.	Density Caliper		
Hole Size for Borehole Correction	N/A	inches	
Tool Centred	No		
Stand-off Type	Fins		
Stand-off	0.50	inches	
Number of Fins on Stand-off	8.0000		
Stand-off Fin Angle	45.00	degrees	
Stand-off Fin Width	0.5000	inches	
Borehole Corr. Rm Source	Temperature Corr		
Temp. for Rm Corr.	MCG External Temperature		
Squasher Start	0.0020	mhos/metre	
Squasher Offset	N/A	mhos/metre	
Borehole Normalisation			
DRM1	0.0000	DRC1	0.0000
DRM2	0.0000	DRC2	0.0000
MRM1	0.0000	MRC1	0.0000
MRM2	0.0000	MRC2	0.0000
SRM1	0.0000	SRC1	0.0000
SRM2	0.0000	SRC2	0.0000

Calibration Site Corrections

Channel 1	0.00	mmhos/metre
Channel 2	0.00	mmhos/metre
Channel 3	0.00	mmhos/metre
Channel 4	0.00	mmhos/metre

Apparent Porosity and Water Saturation Constants

Archie Constant (A)	1.00	
Cementation Exponent (M)	2.00	
Saturation Exponent (N)	2.00	
Saturation of Water for Apor	100.00	percent
Resistivity of Water for Apor and Sw	0.05	ohm-m
Resistivity of Mud Filtrate for Sw	0.00	ohm-m
Source for Rt	0.00	
Source for Rxo	0.00	

High Resolution Temperature Calibration MAI-A.A 45

Field Calibration on 12-JAN-2012,13:36

	Measured	Calibrated(Deg F)
Lower	50.00	50.00
Upper	100.00	100.00

High Resolution Temperature Constants MAI-A.A 45

Last Edited on 12-JAN-2012,11:13

Pre-filter Length	11
-------------------	----

Caliper Calibration MPD-B 59

Base Calibration on 16-MAY-2012 14:32

Field Calibration on 31-MAY-2012 09:33

Base Calibration		
Reading No	Measured	Calibrator Size (in)
1	19200	3.99
2	29152	5.98
3	39216	7.97
4	48949	9.86
5	60064	11.92

## Field Calibration

Measured Caliper (in)	Actual Caliper (in)
5.93	5.98

## Photo Density Calibration MPD-B 59

Base Calibration on 16-MAY-2012 14:49  
Field Check on 31-MAY-2012 09:38

## Density Calibration

## Base Calibration

	Measured		Calibrated (sdu)	
	Near	Far	Near	Far
Reference 1	49293	24802	59556	30836
Reference 2	20819	2436	24941	2541

## Field Check at Base

1213.5	1290.5
--------	--------

## Field Check

1206.1	1292.9
--------	--------

## PE Calibration

## Base Calibration

	WS	Measured		Calibrated
		WH	Ratio	Ratio
Background	220	1092		
Reference 1	18022	49118	0.371	0.371
Reference 2	5449	20689	0.267	0.272

## Field Check at Base

220.3	1091.9
-------	--------

## Field Check

221.9	1084.8
-------	--------

## Density Constants MPD-B 59

Last Edited on 03-JUN-2012,20:22


Density Source Id	254	
Nylon Calibrator Number	DNCE695	
Aluminium Calibrator Number	DACD698	
Density Shoe Profile	8 inch	
Caliper Source for Processing	Density Caliper	
PE Correction to Density	Not Applied	
Mud Density	1.10	gm/cc
Mud Density Z/A Multiplier	1.11	
Mud Filtrate Density	1.00	gm/cc
Dry Hole Mud Filtrate Density	1.00	gm/cc
DNCT	0.00	gm/cc
CRCT	0.00	gm/cc
Density Z/A Correction	Hybrid	
Matrix Density (gm/cc)	Depth (ft)	
2.71	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	
0.00	0.00	

## DOWNHOLE EQUIPMENT

C:\Minimus 11.03.4044\Data\Grand Mesa Operating Company Phillip # 1-26\Grand Mesa Operating Company Phillip # 1-26\_003.dta

MCB-A.A 11B Tension Cablehead  
MCB-A.A 155 LG: 2.40 ft WT: 19.8 lb OD: 2.24 in

MCB-A.A 11B Tension Cablehead  
MCB-A.A 155 LG: 2.40 ft WT: 19.8 lb OD: 2.24 in



Compact Comms Gamma  
MCG-C 84 LG: 8.70 ft WT: 63.9 lb OD: 2.24 in

Compact Comms Gamma  
MCG-C 84 LG: 8.70 ft WT: 63.9 lb OD: 2.24 in

Compact Micro-log  
MML-A 16 LG: 7.97 ft WT: 81.6 lb OD: 2.24 in

Compact Micro-log  
MML-A 16 LG: 7.97 ft WT: 81.6 lb OD: 2.24 in

Compact Neutron  
MDN-A.B 65 LG: 5.04 ft WT: 50.7 lb OD: 2.24 in

Compact Neutron  
MDN-A.B 65 LG: 5.04 ft WT: 50.7 lb OD: 2.24 in

Compact Density/Caliper  
MPD-B 59 LG: 9.59 ft WT: 90.4 lb OD: 2.45 in

Compact Density/Caliper  
MPD-B 59 LG: 9.59 ft WT: 90.4 lb OD: 2.45 in

Compact Focussed Electric  
MFE-A.A 55 LG: 6.05 ft WT: 48.5 lb OD: 2.24 in

Compact Focussed Electric  
MFE-A.A 55 LG: 6.05 ft WT: 48.5 lb OD: 2.24 in

Compact Sonic  
MSS-A.A 55 LG: 12.52 ft WT: 72.8 lb OD: 2.24 in


Compact Sonic  
MSS-A.A 55 LG: 12.52 ft WT: 72.8 lb OD: 2.24 in

Compact Induction  
MAI-A.A 45 LG: 10.81 ft WT: 48.5 lb OD: 2.24 in

Compact Induction  
MAI-A.A 45 LG: 10.81 ft WT: 48.5 lb OD: 2.24 in

Total Length: 63.07 ft Weight: 476.2 lb

Total Length: 63.07 ft Weight: 476.2 lb



COMPANY GRAND MESA OPERATING COMPANY  
WELL PHILLIP # 1-26  
FIELD WILDCAT  
PROVINCE/COUNTY GOVE  
COUNTRY/STATE U.S.A. / KANSAS

Elevation Kelly Bushing	2856.00	feet	First Reading	4604.00	feet
Elevation Drill Floor	2854.00	feet	Depth Driller	4631.00	feet
Elevation Ground Level	2851.00	feet	Depth Logger	4638.00	feet



**Weatherford**<sup>®</sup>

COMPACT PHOTO DENSITY  
COMPENSATED NEUTRON  
MICRORESISTIVITY LOG

