

Microresistivity
Log

(785) 625-3858

API No.

15-147-20677-00-00

Company **Bach Oil Production**

Well Rodenbaugh #1

Field Wildcat

Phillips County State

Kansas

Location

SW SE NW SW
1585' FSL & 733' FWL

Other Services
CNL/CDL

Sec: 10 Twp: 1S Rge: 19W

Elevation

Ground Level	Elevation 2109
--------------	----------------

5 Kelly Bushing Ft. Above Perm. Datum

From Kelly Bushing

G.L. 2109

	5/10/2012
--	-----------

3	IV
---	----

	36
	36

30	
36	

Receivable	30
------------	----

8.625 @ 230

22

	7.8
--	-----

le	Cher
----	------

10	
----	--

ty	9.1	52
----	-----	----

10.3	0.0
Flowline	

e	lowline
m	071 @ 70

emp	0.53	@ 70
emp	0.11	@ 70

emb	0.96 @ 70
-----	-----------

Rmc	Charts
-----	--------

	0.44 @ 114
--	------------

me	4 Hours
----	---------

114	
-----	--

der	91
-----	----

	Days
	D Schmidt

	D. Scrima
	Bob Patarsan

<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Phillipsburg,
N on 183 to Hwy 383, 5 W to 700 Rd, 3/4 S,
E into

```
Database File:      c:\warrior\data\bach_rodenbaugh #1\bach_051012hd.db
Dataset Pathname:  dil\bachstack
Presentation Format: micro
Dataset Creation:   Fri May 11 01:51:48 2012
Charted by:        Depth in Feet scaled 1:240
```





3000

3050

3100

3150






3200

3250

3300

3350

3400




-29

-29

-29

-30

-29




3450

3500

3550

3600



0	Gamma Ray	150
6	Micro Log Caliper (GAPI)	16
-200	SP (mV)	0

0	Micro Inverese 1 X 1	40
0	Micro Normal 2"	40
15000	Line Weight	0

LSPD
