



Radiation Guard Log

Pioneer Energy Services

API No.

15-009-25,735-00-00

Company **Bennett & Schulte Oil Company**

Well **Yarmer No. 17-2**

Field **Capital View**

County **Barton** State **Kansas**

Location

SE SW NW NE
1,250' FNL & 2,210' FEL

Sec: 17 Twp: 17S Rge: 14W

Other Services

None

Elevation

K.B. 1922
D.F. 1915
G.L. 1915

Permanent Datum Ground Level Elevation 1915
Log Measured From Kelly Bushing 7 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Date 8/14/2012

Run Number One

Depth Driller 3500

Depth Logger 3498

Bottom Logged Interval 3497

Top Log Interval 900

Casing Driller 8.625 @ 910

Casing Logger 900

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 4000

Density / Viscosity 9.4 53

pH / Fluid Loss 10.0 10.4

Source of Sample Flowline

Rm @ Meas. Temp .82 @ 74

Rmf @ Meas. Temp .62 @ 74

Rmc @ Meas. Temp 1.11 @ 74

Source of Rmf / Rmc Charts

Rm @ BHT .55 @ 111

Operating Rig Time 3 Hours

Max Rec. Temp. F 111

Equipment Number 108

Location Hays

Recorded By J. Long

Witnessed By Frank Schulte

<<< Fold Here >>>



All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858


Russell, South to County Line, 8 South to NW 150th Road, 2 1/4 West,
South Into (At Tank Batteries)


Database File: bennetschulte_yarmer_17-2hd.db
Dataset Pathname: rag/bennrag
Presentation Format: rag2in
Dataset Creation: Tue Aug 14 11:22:02 2012
Charted by: Depth in Feet scaled 1:600





1400
1450
1500
1550
1600
1650
1700
1750
1800
1850
1900





1950

2000

2050

2100

2150

2200


2250


2300

2350

2400

2450





2500

2550

2600

2650

2700

2750


2800



2850

2900


2950

3000





0	Gamma Ray	150	0.2	LGRD	2000
6	Caliper (GAPI)	16	560	SWNC	2160
-200	sp	0	15000	Line Tension	0
					LSPD



0	Gamma Ray	150	0.2	LGRD	2000
6	Caliper (GAPI)	16	560	SWNC	2160
-200	sp	0	15000	Line Tension	0
					LSPD

