



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.		Company Chieftain Oil Co., Inc.					
15-007-23891-00-00		Well Molz #17					
		Field Wildcat					
		County Barber State Kansas					
Location		SE NW NW SE 2300' FSL / 2300' FEL		Other Services DIL			
Sec: 11		Twp: 35S		Rge: 12W			
Permanent Datum		Ground Level		Elevation 1394			
Log Measured From		Kelly Bushing		10 Ft. Above Perm. Datum			
Drilling Measured From		Kelly Bushing		K.B. 1404 D.F. 1394 G.L. 1394			
Date		7/21/2012					
Run Number		One					
Type Log		CNL / CDL					
Depth Driller		5587					
Depth Logger		5590					
Bottom Logged Interval		5569					
Top Logged Interval		3500					
Type Fluid In Hole		Chemical					
Salinity, PPM CL		3500					
Density		9.4					
Level		Full					
Max. Rec. Temp. F		132					
Operating Rig Time		5 Hours					
Equipment -- Location		15 Hays					
Recorded By		R. Barnhart					
Witnessed By		Arden Ratzlaff					
Borehole Record		Casing Record					
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	330	8.625	23#	00	330
Two	7.875	330	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Medicine Lodge, KS:
S to Hardtner Curve, 1W, S into


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0
-0.25	Correction	0.25
LSPD		













6	Caliper (GAPI)	16	2	Bulk Density	3
			15000	Line Tension	0
			-0.25 Correction 0.25		
			LSPD		


Database File:		chieftainhd.db			
Dataset Pathname:		dil/chmain			
Presentation Format:		cndlspec			
Dataset Creation:		Sat Jul 21 07:47:40 2012			
Charted by:		Depth in Feet scaled 1:240			
0	Gamma Ray	150	30	CNLS	-10
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10
			10000	Line Tension	0
			-0.25 Correction 0.25		
			LSPD		


























6 Caliper (GAPI) 16

30	Compensated Density (2.71 ma)		-10
10000	Line Tension		0
	-0.25	Correction	0.25
	LSPD		