

Borehole Compensated Sonic Log

(785) 625-3858

Company Cholla Production, LLC

Well
Seltmann #1-24

Field N/A

County Rush State Kansas

15-165-21977-00-00

Sec: 24 Twp: 19S Rge: 20W

Elevation

Ground Level	Elevation 2172
Kelly Bushing	8 Ft. Above Perm. Datum

From Kelly Bushing

Elevation 2172
8 Ft. Above Perm. Datum

K.B.	2180
D.F.	2172
G.L.	

6/

12

	BHC Sonic
--	-----------

nic

	4515
--	------

1

Interval	600
----------	-----

CL	7700
----	------

1

Full	7
------	---

1

me	5 Hours
01	11

5

D. Schmidt	
Clayton Erickson	

ad

Borehole Record		Casing Record	
From	To	Size	Wgt. From

To

2	7.875	604	4515		
---	-------	-----	------	--	--

[illegible]

--	--	--	--	--	--	--	--	--

[illegible]

10

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments



Thank you for using Log-Tech, Inc.
(785) 625-3858



Nekoma,
4 W to 140th, 5 S to V rd, 1 E to 150th, 1 S to W rd,
1/4 E. N into



Database File: c:\warrior\data\cholla_seltmann #1-24\cholla_061112hd.db
Dataset Pathname: dil/chostack
Presentation Format: sonic
Dataset Creation: Mon Jun 11 18:13:16 2012
Charted by: Depth in Feet scaled 1:240



Charted by:			Depth in Feet scaled 1:210			
0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300		30	SPOR	-10
6	Caliper (GAPI)	16		15000	LTEN (lb)	0
					LSPD	































































0	Gamma Ray	150
150	Gamma Ray	300



Sonic Int	140	Delta Time (usec/ft)	40
5	0	SPOR	-10

6	Caliper (GAPI)	16	15000	LTEN (lb)	0
					LSPD