



PIONEER

Pioneer Energy Services

Dual Compensated Porosity Log

API No.

15-083-21,811-00-00

Company **Berexco, LLC.**

Well **Terry #1-31**

Field **Wildcat**

County **Hodgeman**

State **Kansas**

Location

**NE NW SW NE
1615' FNL & 2280' FEL**

Other Services
DIL/MEL

Sec: **31**

Twp: **23 S**

Rge: **23 W**

Elevation

K.B. 2460
D.F. 2447
G.L. 2447

Permanent Datum

Ground Level

Kelly Bushing

13

Ft. Above Perm. Datum

Log Measured From

Kelly Bushing

13

Ft. Above Perm. Datum

Drilling Measured From

Kelly Bushing

13

Ft. Above Perm. Datum

K.B. 2460
D.F. 2447
G.L. 2447

Date

7/30/2012

One

CNL / CDL

4810

4816

4795

3300

Chemical

6,000

9.3

Full

126

4 Hours

91

Hays

K. Bange

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

Run Number

One

CNL / CDL

4810

4816

4795

3300

Chemical

6,000

9.3

Full

126

4 Hours

91

Hays

K. Bange

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

David Gould

Run No

12.25

00

285

TD

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

Bit

From

To

Size

Wgt.

23#

From

To

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

From

To

Size

Wgt.

23#

From

To

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

From

To

Size

Wgt.

23#

From

To

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

From

To

Size

Wgt.

23#

From

To

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

From

To

Size

Wgt.

23#

From

To

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

From

To

Size

Wgt.

23#

From

To

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

285

From

To

Size

Wgt.


23#


From


To

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			







Database File: berexco073012hd.db
 Dataset Pathname: dil/berexstack
 Presentation Format: cndlspec
 Dataset Creation: Mon Jul 30 16:55:23 2012
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS				-10
30	Compensated Density (2.71 ma)				-10
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension				0

