



DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

API No.	15-051-26,317-00-00		
Company	TDL, Inc.		
Well	Derrick Unit No. 1		
Field	Dinges		
County	Ellis		
State	Kansas		
Location	SE SE SE SE 100' FSL & 230' FEL		
Sec:	4	Twp: 15 S	Rge: 18 W
Other Services	DIL/MEL		

Permanent Datum	Ground Level	Elevation 2027
Log Measured From	Kelly Bushing	10 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Date	7/8/2012	

Run Number	One
Type Log	CNL / CDL
Depth Driller	3750
Depth Logger	3743
Bottom Logged Interval	3722
Top Logged Interval	2850
Type Fluid In Hole	Chemical
Salinity, PPM CL	2100
Density	9.3
Level	Full
Max. Rec. Temp. F	114
Operating Rig Time	3 1/2 Hours
Equipment -- Location	17 Hays
Recorded By	D. Martin
Witnessed By	Tom Denning

Borehole Record		Casing Record				
Run No	Bit From	To	Size	Wgt. 23#	From	To
One	12.25	00	213	8.625	00	213
Two	7.875	213	TD			

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
(785) 625-3858


Antonino Blacktop & Hwy 183,
1 S, 1/8 W, N Into

Database File: tdihd.db
 Dataset Pathname: DIL/tdistk
 Presentation Format: cdl
 Dataset Creation: Sun Jul 08 12:35:25 2012
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			





Database File: tdihd.db
 Dataset Pathname: DIL/tdistk
 Presentation Format: cndlspec
 Dataset Creation: Sun Jul 08 12:35:25 2012
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	CNLS			-10	
30	Compensated Density (2.71 ma)			-10	
2.625	DGA	3.425	-0.25	Correction	0.25
10000	Line Tension			0	

LSPD

