



Borehole Compensated Sonic Log

DIGITAL LOG (785) 625-3858

API No.

15-053-21,271-00-00

Company Black Tea Oil, LLC.

Well Whitley No. 17-4

Field Wilson Creek

County Ellsworth

State Kansas

Location

990' FSL & 330' FEL

Other Services
CNL/CDL
MEL/DIL

Sec: 17

Twp: 14 S

Rge: 10 W

Elevation

Permanent Datum

Ground Level

Elevation 1715

Log Measured From

Kelly Bushing 7 Ft. Above Perm. Datum

K.B. 1722
D.F. 1715
G.L. 1715

Dilling Measured From

Kelly Bushing

Date

11/24/2011

Run Number

Two

Type Log

BHC Sonic

Depth Driller

3130

Depth Logger

3127

Bottom Logged Interval

3116

Top Logged Interval

200

Type Fluid In Hole

Chemical

Salinity, PPM CL

9000

Density

9.1

Level

Full

Max. Rec. Temp. F

109

Operating Rig Time

2 1/2 Hours

Equipment -- Location

91 Hays

Recorded By

D.Kerr

Witnessed By

Gator Nelson

Borehole Record

Casing Record

Run No

Bit

From

To

Size

Wgt.

From

To

One

12.25

00

221

8.625

23#

00

221

Two

7.875

221

TD

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858
I-70 and Wilson Exit,
2 South to D Ave,
1 East, 1/4 North,
West(North) Into

Database File: blacktea_whitley_112411hd.db
Dataset Pathname: DIL/blkstk2
Presentation Format: sonic
Dataset Creation: Fri Nov 25 10:07:21 2011
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	Sonic Int	140	Delta Time (usec/ft)	40
150	Gamma Ray	300	5	0	Sonic Porosity	-10
6	dCAL (GAPI)	16		30	LTEN (lb)	0
						LSPD



























