



Dual Compensated Porosity Log

Pioneer Energy Services

API No.

15-155-21,616-00-00

Company **Carrie Exploration & Development**

Well **James C - 1**

Field **Unknown**

County **Reno**

State **Kansas**

Location **550' FSL & 2310' FEL**

Other Services
DIL/MEL

Sec: 3

Twp: 22 S

Rge: 10 W

Elevation
K.B. 1751
D.F.
G.L. 1743

Permanent Datum

Ground Level

Elevation 1743

Log Measured From

Kelly Bushing

8 Ft. Above Perm. Datum

Drilling Measured From

Kelly Bushing

Date

12/21/2012

Run Number

One

Type Log

CNL / CDL

Depth Driller

3630

Depth Logger

3627

Bottom Logged Interval

3606

Top Logged Interval

2500

Type Fluid In Hole

Chemical

Salinity, PPM CL

5,000

Density

9.4

Level

Full

Max. Rec. Temp. F

112

Operating Rig Time

4 1/2 Hours

Equipment -- Location

108 Hays

Recorded By

D. Martin

Witnessed By

Herb Deines

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Hwys 281 & 19 Junction,
18 1/2 E, N Into

Database File: carrhd.db
Dataset Pathname: DIL/carstk
Presentation Format: cdl
Dataset Creation: Fri Dec 21 07:24:04 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray (GAPI)	150
6	Caliper (in)	16

30	Compensated Density (pu)		-10
2	Bulk Density (g/cc)		3
15000	Line Tension (lb)		0
2.625	DGA (g/cc)	3.425	-0.25
	Correction (g/cc)		0.25

LSPD
(ft/min)















