



SUPERIOR
Hays,
Kansas

MICRO LOG

Company	BLUERIDGE PETROLEUM CORP.	Company	BLUERIDGE PETROLEUM CORPORATION
Well	SOEKEN #12	Well	SOEKEN #12
Field	KRAFT - PRUSA	Field	KRAFT - PRUSA
County	BARTON	County	BARTON
State	KANSAS	State	KANSAS
Location:	APL # : 15-009-25730-0000	Other Services CDL/CNL DIL/SONIC	
Permanent Datum	GROUND LEVEL	Elevation	1841
Log Measured From	KELLY BUSHING 5' A.G.L.	Elevation	K.B. 1846 D.F. 1844 G.L. 1841
Drilling Measured From	KELLY BUSHING		
SEC 22 TWP 17S RGE 11W			
Date	8/21/12		
Run Number	TWO		
Depth Driller	3365		
Depth Logger	3364		
Bottom Logged Interval	3342		
Top Log Interval	2700		
Casing Driller	8 5/8" @ 709'		
Casing Logger	706		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 6,400 PPM	
Density / Viscosity	9.4/52		
pH / Fluid Loss	10.5/10.0		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.950 @ 92F		
Rmt @ Meas. Temp	.713 @ 92F		
Rmc @ Meas. Temp	1.14 @ 92F		
Source of Rmt / Rmc	MEASUREMENT		
Rm @ BHT	.795 @ 110F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	1:00 P.M.		
Maximum Recorded Temperature	110F		
Equipment Number	4010		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	JIM MUSGROVE	JON ALLEN	RICK POPP

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING SUPERIOR WELL SERVICE HAYS, KANSAS (785) 628-6395
DIRECTIONS
CLAFLIN, KS. 2 1/2N. ON BLKTOP, E. INTO





SUPERIOR
Hays,
Kansas

MAIN SECTION

Database File: 409506ddn.db
Dataset Pathname: pass6.3
Presentation Format: micro
Dataset Creation: Tue Aug 21 15:36:06 2012
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		







2900

2950

3000

3050





3100


3150


3200

3250

3300

5.5" ABHV







SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: 409506ddn.db
 Dataset Pathname: pass5.2
 Presentation Format: micro
 Dataset Creation: Tue Aug 21 15:15:49 2012
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
0	MINMK	20	TBHV			
			0 (ft3)	10		





Calibration Report

Database File: 409506ddn.db
 Dataset Pathname: pass6.3
 Dataset Creation: Tue Aug 21 15:36:06 2012

MICRO Calibration Report

Serial Number: MICRO5
 Tool Model: PROBE
 Performed: Sat Aug 18 09:41:59 2012

Caliper Calibration: Gain=4.337 Offset=-10.023

References: Low Cal 7.000 High Cal 16.000

Readings	3.925	6.000
1.5" Calibration:	Gain=35.000	Offset=-0.500
References	Low Cal 0.000	High Cal 20.000
Readings	-0.002	0.981
2" Calibration:	Gain=38.000	Offset=-0.300
References	Low Cal 0.000	High Cal 20.000
Readings	0.002	0.898
Gamma Ray Calibration Report		
Serial Number:	GR3	
Tool Model:	OPEN	
Performed:	Tue Aug 21 14:55:17 2012	
Calibrator Value:	200.0	GAPI
Background Reading:	3.0	cps
Calibrator Reading:	186.0	cps
Sensitivity:	0.9500	GAPI/cps