



Pioneer Energy Services

Microresistivity Log

API No.	15-051-26,309-00-00	
Company	TDL, Inc.	
Well	Bixenman No.1	
Field	Dechant	
County	Ellis	State
		Kansas
Location	NE NW SW NE 1340' FNL & 2005' FEL	
Sec: 11	Twp: 15 S	Rge: 19 W
Permanent Datum	Ground Level	Elevation 2058
Log Measured From	Kelly Bushing	7 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
		Other Services CNL/CDL DIL
		Elevation K.B. 2065 D.F. G.L. 2058

Date	8/20/2012
Run Number	Two
Depth Driller	3750
Depth Logger	3753
Bottom Logged Interval	3752
Top Log Interval	2900
Casing Driller	8.625 @ 211
Casing Logger	210
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	9800
Density / Viscosity	9.0 57
pH / Fluid Loss	10.0 9.6
Source of Sample	Flowline
Rm @ Meas. Temp	.45 @ 80
Rmf @ Meas. Temp	.34 @ 80
Rmc @ Meas. Temp	.61 @ 80
Source of Rmf / Rmc	Charts
Rm @ BHT	.32 @ 114
Operating Rig Time	4 Hours
Max Rec. Temp. F	114
Equipment Number	108
Location	Havs
Recorded By	D.Kerr
Witnessed By	Herb Deines

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.



Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858
 Antonino KS, 1 1/4 South,
 West Into

Database File: tdi_bixenman_1hd.db
 Dataset Pathname: DIL/tdistk
 Presentation Format: micro
 Dataset Creation: Mon Aug 20 22:13:06 2012
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD






3100

3150

3200

3250

3300




-31

-32

-31

-31

-32




3350

3400

3450

3500




-30

-30

-30

-30




3550

3600

3650

3700




-30


-30

-28

-29



3750



0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD