



Microresistivity Log

DIGITAL LOG (785) 625-3858

15-179-21,309-00-00

Company Brinker Enterprises, LLC

Well Transue No. 26 - 3

Field Wildcat

County Sheridan State Kansas

Location

SW NW NE SE
2150' FSL & 1180' FEL

Sec: 26 Twp: 9 S Rge: 26 W

Permanent Datum Ground Level Elevation 2618
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation

K.B. 2623
D.F.
G.L. 2618

Date 7/21/2012

Run Number Two

Depth Driller 4170

Depth Logger 4171

Bottom Logged Interval 4170

Top Log Interval 3500

Casing Driller 8.625 @ 221

Casing Logger 223

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 3.000

Density / Viscosity 9.35 55

pH / Fluid Loss 8.5 9.6

Source of Sample Flowline

Rm @ Meas. Temp 1.5 @ 75

Rmf @ Meas. Temp 1.13 @ 75

Rmc @ Meas. Temp 2.03 @ 75

Source of Rmf / Rmc Charts

Rm @ BHT .96 @ 118

Operating Rig Time 4 1/2 Hours

Max Rec. Temp. F 118

Equipment Number 108

Location Hays

Recorded By D. Martin

Witnessed By Clayton Erickson

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

St. Peter, KS
3 N to H Rd., 5 W,
1/4 N, W Into

Database File: brinhd.db
Dataset Pathname: DIL/brinstk
Presentation Format: micro
Dataset Creation: Sat Jul 21 05:56:48 2012
Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0




3500

3550

3600

3650

0	Micro Inverse 1 X 1	40
0	Micro Normal 2"	40
10000	Line Weight	0
		LSPD




-31

-30

-30

-30




3700

3750

3800

3850

3900




-30

-30

-30

-30

-30





3950

4000

4050


4100





0	Gamma Ray	150
6	MCAL (GAPI)	16
2.875	Mud Cake (GAPI)	7.875
-200	SP	0

4150



0	Micro Inverse 1 X 1	40
0	Micro Normal 2''	40
10000	Line Weight	0

LSPD