



Dual Induction Log

DIGITAL LOG (785) 625-3858

15-179-21,309-00-00

Company Brinker Enterprises, LLC

Well Transue No. 26 - 3

Field Wildcat

County Sheridan State

Kansas

Location

SW NW NE SE
2150' FSL & 1180' FEL

Sec: 26

Twp: 9 S

Rge: 26 W

Elevation

K.B. 2623

D.F. 2618

G.L. 2618

Other Services
CNL/CDL
MEL

Permanent Datum Ground Level Elevation 2618

Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum

Drilling Measured From Kelly Bushing

Date 7/21/2012

Run Number One

Depth Driller 4170

Depth Logger 4171

Bottom Logged Interval 4170

Top Log Interval 200

Casing Driller 8.625 @ 221

Casing Logger 223

Bit Size 7.875

Type Fluid in Hole Chemical

Salinity, ppm CL 3.000

Density / Viscosity 9.35 55

pH / Fluid Loss 8.5 9.6

Source of Sample Flowline

Rm @ Meas. Temp 1.5 @ 75

Rmf @ Meas. Temp 1.13 @ 75

Rmc @ Meas. Temp 2.03 @ 75

Source of Rmf / Rmc Charts

Rm @ BHT .96 @ 118

Operating Rig Time 4 1/2 Hours

Max Rec. Temp. F 118

Equipment Number 108

Location Hays

Recorded By D. Martin

Witnessed By Clayton Erickson

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858



St. Peter, KS
3 N to H Rd., 5 W,
1/4 N, W Into




Database File: brinhd.db
Dataset Pathname: DIL/brinstk
Presentation Format: dil2in
Dataset Creation: Sat Jul 21 05:56:48 2012
Charted by: Depth in Feet scaled 1:600




0	Gamma Ray	150
-200	SP	0



0	Shallow Resistivity	50
0	Deep Resistivity	50
1000	Conductivity	0
15000	Line Tension	0
50	Shallow Resistivity	500
50	Deep Resistivity	500



LSPD





























Database File: brinhd.db
Dataset Pathname: DIL/brinstk
Presentation Format: dil
Dataset Creation: Sat Jul 21 05:56:48 2012
Charted by: Depth in Feet scaled 1:240





Database File: brinhd.db
 Dataset Pathname: DIL/brinstk
 Presentation Format: dil
 Dataset Creation: Sat Jul 21 05:56:48 2012
 Charted by: Depth in Feet scaled 1:240






3600

3650

3700

3750




-30

-30

-30

-30




3800

3850

3900

3950

4000




-30

-30


-30

-30

30



0	Gamma Ray	150
-160	RXO/RT	40
-200	SP	0



0.2	Deep Resistivity	2000
0.2	Medium Resistivity	2000
0.2	Shallow Resistivity	2000
10000	Line Tension	0

LSPD