



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.

15-179-21,309-00-00

Company Brinker Enterprises, LLC

Well Transue No. 26 - 3

Field Wildcat

County Sheridan State Kansas

Location SW NW NE SE
2150' FSL & 1180' FEL

Sec: 26 Twp: 9 S Rge: 26 W

Other Services
DIL/MEL

Permanent Datum Ground Level Elevation 2618
Log Measured From Kelly Bushing 5 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

K.B. 2623
D.F. 2618
G.L. 2618

Date 7/21/2012

Run Number One

Type Log CNL / CDL

Depth Driller 4170

Depth Logger 4171

Bottom Logged Interval 4150

Top Logged Interval 3500

Type Fluid In Hole Chemical

Salinity, PPM CL 3,000

Density 9.35

Level Full

Max. Rec. Temp. F 118

Operating Rig Time 4 1/2 Hours

Equipment -- Location 108 Hays

Recorded By D. Martin

Witnessed By Clayton Erickson

Borehole Record

Casing Record

Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	221	8.625	23#	00	221
Two	7.875	221	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

St. Peter, KS
3 N to H Rd., 5 W,
1/4 N, W Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			









