SUPERIOR WELL SERVICES

SUPERIOR
Hays,
Kansas

COMPENSATED DENSITY / NEUTRON LOG

Company WILDCAT OIL & GAS LLC
Well JOHNSON FARMS NO. 3
Field SPIVEY-GRABS-BASIL
County KINGMAN State KANSAS
Location: API # :
SE - SE - SE
330' FSL & 330' FEL
SEC 18 TWP 30S RGE 7W

Permanent Datum GROUND LEVEL Elevation 1517
Log Measured From KELLY BUSHING 10' A.G.L.
Drilling Measured From KELLY BUSHING

Other Services
DIL

Elevation
K.B. 1527
D.F. 1525
G.L. 1517

Company
Well JOHNSON FARMS NO. 3
Field SPIVEY-GRABS-BASIL
County KINGMAN
State KANSAS

Date	12-11-2012		
Run Number	ONE		
Depth Driller	4348		
Depth Logger	4350		
Bottom Logged Interval	4316		
Top Log Interval	2800		
Casing Driller	219		
Casing Logger			
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	9.3 / 41		
pH / Fluid Loss	10.5 / 9.6		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	.8 @70 F		
Rmf @ Meas. Temp	.64 @ 70 F		
Rmc @ Meas. Temp	.96 @ 70 F		
Source of Rmf / Rmc	MEASURED		
Rm @ BHT	.47@ 119 F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom	4:15 P.M.		
Maximum Recorded Temperature	119		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	MIKE GARRISON		
Witnessed By	MAX LOVELY		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-095-22265-00-00

Comments

NABORS COMPLETION & PRODUCTION CO.
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS:RAGO, KS, 1 SOUTH TO 150 RD, 2 WEST, NORTH INTO


SUPERIOR WELL SERVICES


SUPERIOR
Hays,
Kansas


MAIN SECTION


Database File: c:\documents and settings\superior backup\desktop\010162dildn.db
Dataset Pathname: pass3.1
Presentation Format: den_neu
Dataset Creation: Tue Dec 11 17:10:00 2012 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu) -10
6	CALIPER (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu) -10
0	MINMK	20	TBHV	-0.25	CORRECTION (g/cc) 0.25
			0 (ft3) 10		






3000
3050
3100
3150



3200
3250
3300
3350
3400


3450
3500
3550
3600


3650
3700
3750
3800
3850


3900
3950
4000
4050


4100
4150
4200
4250
TBHV
ABHV



0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)		-10
6	CALIPER (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)		-10
0	MINMK	20	TBHV		-0.25	CORRECTION (g/cc)	0.25
			0 (ft3) 10				


SUPERIOR WELL SERVICES


SUPERIOR
Hays,
Kansas

REPEAT SECTION

Database File: c:\documents and settings\superior backup\desktop\010162dildn.db
Dataset Pathname: pass2.1
Presentation Format: den_neu
Dataset Creation: Tue Dec 11 17:13:49 2012 by Calc Open-Cased 090629
Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	30	COMPENSATED DENSITY (pu)		-10
6	CALIPER (in)	16	10 (ft3) 0	30	COMPENSATED NEUTRON (pu)		-10
0	MINMK	20	TBHV		-0.25	CORRECTION (g/cc)	0.25
			0 (ft3) 10				





Calibration Report

Database File: C:\Documents and Settings\Superior Backup\Desktop\010162dildn.db
Dataset Pathname: pass3.1
Dataset Creation: Tue Dec 11 17:10:00 2012 by Calc Open-Cased 090629

Dual Induction Calibration Report

Serial-Model: DIL5-GEAR
Performed: Fri Dec 07 07:12:18 2012

	Readings		References		Results	
Loop:	Air	Loop	Air	Loop	m	b

Deep	0.004	0.654	V	0.000	400.000	mmho/m	470.000	-11.000
Medium	-0.005	0.737	V	0.000	462.500	mmho/m	570.000	-3.500

Internal:	Zero	Cal		Zero	Cal		m	b
Deep	0.006	0.655	V	0.000	400.000	mmho/m	615.668	-3.483
Medium	0.010	0.747	V	0.000	462.500	mmho/m	627.607	-6.064

Compensated Density Calibration Report

Serial-Model: GEAR1-GEARHART
Source / Verifier: 147 / 147
Master Calibration Performed: Thu Dec 06 18:07:27 2012

Master Calibration

	Density		Far Detector	Near Detector	
Magnesium	1.710	g/cc	1205.67	613.10	cps
Aluminum	2.590	g/cc	277.64	430.46	cps

Spine Angle = 76.46 Density/Spine Ratio = 0.583

	Size		Reading	
Small Ring	8.10	in	4.69	V
Large Ring	14.00	in	6.52	V

Compensated Neutron Calibration Report

Serial Number: NUE_2I
Tool Model: G

CALIBRATION

Detector	Readings		Target		Normalization
Short Space	1.00	cps	1.00	cps	1.0000
Long Space	1.00	cps	1.00	cps	1.0000

Gamma Ray Calibration Report

Serial Number: GR5
Tool Model: OPEN
Performed: Fri Dec 07 07:11:05 2012

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 1.0 cps

Sensitivity: 0.7000 GAPI/cps