



Pioneer Energy Services

## Dual Compensated Porosity Log

15-051-26,387-00-00

API No.

Company **TDI, Inc.**

Well **Moore Pond No.1**

Field

County **Eljis**

State **Kansas**

Location

**1660' FSL & 980' FWL**

Sec: **8**

Twp: **15S**

Rge: **19W**

Other Services  
DIL  
MEL

Elevation

K.B. 2001  
D.F.  
G.L. 1991

Permanent Datum

Ground Level

Elevation 1991

Log Measured From

Kelly Bushing

10 Ft. Above Perm. Datum

Drilling Measured From

Kelly Bushing

K.B. 2001  
D.F.  
G.L. 1991

Date

Run Number

Type Log

Depth Driller

Depth Logger

Bottom Logged Interval

Top Logged Interval

Type Fluid In Hole

Salinity, PPM CL

Density

Level

Max. Rec. Temp. F

Operating Rig Time

Equipment -- Location

Recorded By

Witnessed By

**Borehole Record**

**Casing Record**

Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	1254	8.625	24#	00	1254
2	7.875	1254	3700				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services  
[www.pioneerenergy.com](http://www.pioneerenergy.com)  
 785 625 3858  
 Antonino KS, 3 W, 2 S,  
 3/4 W, N Into

Database File: c:\warrior\data\tdi\_moore pond #1\tdihd.db  
 Dataset Pathname: dil\tdistk  
 Presentation Format: cdl  
 Dataset Creation: Wed Oct 03 14:22:04 2012  
 Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			

















