



MIDWEST SURVEYS
LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

API # 15-207-28,314

Company **Haas Petroleum, LLC.**

Well **Massey No. 3-HP**

Field **Winterscheid**

County **Woodson** State **Kansas**

Location **2475' FSL & 1737' FEL
NW-NE-NW-SE**

Other Services

Perforate

Sec. 35 Twp. 23s Rge. 14e

Elevation

Permanent Datum GL Elevation 1113'

K.B. 1117'

Log Measured From GL

D.F. NA

Drilling Measured From KB 4' From GL

G.L. 1113'

Date	11-06-2012		
Run Number	One		
Depth Driller	1710.0		
Depth Logger	1697.0		
Bottom Logged Interval	1696.0		
Top Log Interval	200.0		
Fluid Level	Full		
Type Fluid	Water		
Density / Viscosity	NA		
Salinity - PPM Cl	NA		
Max Recorded Temp	NA		
Estimated Cement Top	0.0		
Equipment No.	Location	102	Osawatomie
Recorded By	Steve Windisch		
Witnessed By	Mark Haas		

RUN				BORE-HOLE RECORD				CASING RECORD			
No.	BIT	FROM	TO	SIZE	WGT.	FROM	TO				
One	12.25"	0.0	40.0	8.625"		0.0	40.0				
Two	6.75"	40.0	1710.0	4.50"		0.0	1704.0				

<<< End Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Skyy Drilling Rig -2

Database File: massey3.db

Dataset Pathname: pass1

Presentation Format: gr-n-ccl

Dataset Creation: Tue Nov 06 10:39:23 2012 by Log SCH 111116

Charted by: Depth in Feet scaled 1:240

0 Gamma Ray (cps) 150 100 1900 Neutron (cps)













