



**SUPERIOR
Hays,
Kansas**

**DUAL
INDUCTION
LOG**

Company	WOOLSEY OPERATING COMPANY, LLC.		
Well	WARREN FEE #10		
Field	MEDICINE LODGE NORTH POOL		
County	BARBER	State	KANSAS
Location:	API # : 15-007-23916-0000		Other Services CDL/CNL PE
SEC 18 TWP 32S RGE 12W			
Permanent Datum	GROUND LEVEL	Elevation	1615
Log Measured From	KELLY BUSHING 10' A.G.L.	K.B. 1625 D.F. 1623 G.L. 1615	
Drilling Measured From	KELLY BUSHING		
Date	7-30-12		
Run Number	ONE		
Depth Driller	4865		
Depth Logger	4865		
Bottom Logged Interval	4863		
Top Log Interval	0		
Casing Driller	216		
Casing Logger			
Bit Size	7.875		
Type Fluid in Hole	CHEMICAL MUD		
Density / Viscosity	8.9 / 54	CHLORIDES 4000 PPM	
pH / Fluid Loss	10.0 / 11.2		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	0.60 @ 90F		
Rmf @ Meas. Temp	0.45 @ 90F		
Rmc @ Meas. Temp	0.72 @ 90F		
Source of Rmf / Rmc	MEASURED		
Rim @ BHT	0.44 @ 124F		
Time Circulation Stopped	3 HOURS		
Time Logger on Bottom			
Maximum Recorded Temperature	124F		
Equipment Number	860		
Location	HAYS, KS.		
Recorded By	JEFF GRONEWEG		
Witnessed By	SCOTT ALBERG		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

SUPERIOR WELL SERVICES
785-628-6395
THANK YOU FOR YOUR BUSINESS
DIRECTIONS: MEDICINE LODGE, KS - WEST ON HWY 160 3 MILES TO GYP HILL RD
3 1/2 MILES SOUTH - WEST INTO THROUGH CATTLE GUARD - APPROX 3 MILES
NORTH AND WEST INTO

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	RxoRt	50
0	MINMK	20

0.2	RLL3 (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000





1900

1950

2000

2050






2100


2150

2200

2250

2300







2350

2400

2450

2500







2550

2600

2650

2700






2750


2800

2850

2900

2950







3000

3050

3100

3150






3200


3250

3300

3350

3400







3450

3500

3550

3600







3650

3700

3750

3800






3850


3900

3950

4000

4050







4100

4150

4200

4250






4300


4350

4400

4450

4500







4550

4600

4650

4700






4750

4800

4850

0	GAMMA RAY (GAPI)	150
-100	SP (mV)	100
-250	RxoRt	50
0	MINMK	20



0.2	RLL3 (Ohm-m)	2000
0.2	DEEP INDUCTION (Ohm-m)	2000
0.2	MEDIUM INDUCTION (Ohm-m)	2000