



# Microresistivity Log

Pioneer Energy Services

API No.

15-163-24,075-00-00

Company **McCoy Petroleum Corporation**

Well **Jackson "A" No. 1-11**

Field **Wildcat**

County **Rooks** State

**Kansas**

Location

**660' FNL & 1320' FWL**

Other Services  
CNL/CDL  
DIL

Sec: 11

Twp: 7 S

Rge: 19 W

Elevation

Permanent Datum

Ground Level

Elevation 2002

Log Measured From

Kelly Bushing 5 Ft. Above Perm. Datum

K.B. 2007  
D.F. 2002  
G.L. 2002

Drilling Measured From

Kelly Bushing

Date

10/3/2012

Run Number

Two

Depth Driller

3590

Depth Logger

3594

Bottom Logged Interval

3593

Top Log Interval

2800

Casing Driller

8.625 @ 208

Casing Logger

207

Bit Size

7.875

Type Fluid in Hole

Chemical

Salinity, ppm CL

2500

Density / Viscosity

9.2 52

pH / Fluid Loss

10.5 6.8

Source of Sample

Flowline

Rm @ Meas. Temp

1.20 @ 67

Rmf @ Meas. Temp

.90 @ 67

Rmc @ Meas. Temp

1.62 @ 67

Source of Rmf / Rmc

Charts

Rm @ BHT

.72 @ 112

Operating Rig Time

3 1/2 Hours

Max Rec. Temp. F

112

Equipment Number

15

Location

Hays

Recorded By

D. Kerr

Witnessed By

Robert Hendrix

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.


## Comments

Thank you for using Pioneer Energy Services  
[www.pioneerres.com](http://www.pioneerres.com)  
785 625 3858

Stockton KS, 7 West to 12 RD,  
3 North, 1/2 West, South Into

Database File: c:\warrior\data\mccoy\_jackson a #1-11\mccoy\_jackson\_a\_1-11hd.db  
Dataset Pathname: DIL\mcoystk  
Presentation Format: micro  
Dataset Creation: Wed Oct 03 05:36:52 2012  
Charted by: Depth in Feet scaled 1:240

|      |                          |     |
|------|--------------------------|-----|
| 0    | Gamma Ray                | 150 |
| 6    | Micro Log Caliper (GAPI) | 16  |
| -200 | SP (mV)                  | 0   |




2800

2850

2900

2950




-30

-30

-30

-31

LSPD




3000

3050

3100

3150

3200




-30

-30

-30

-30

-30




3250

3300

3350

3400



-29

-29

-30

-29

