



**COMPLETION
& PRODUCTION
SERVICES CO.**

**SONIC
LOG**

Company	DOWNING - NELSON OIL CO. INC.		
Well	STALNAKER "B" #1-14		
Field	WILDCAT		
County	TREGO	State	KANSAS
Company	DOWNING - NELSON OIL COMPANY, INC.		
Well	STALNAKER "B" #1-14		
Field	WILDCAT		
County	TREGO	State	KANSAS
Location:	API # : 15-195-22847-0000		Other Services CDL/CNL DIL/MEL
	2369' FSL & 410' FWL NE - NW - NW - SW		
Permanent Datum	GROUND LEVEL	Elevation	2218
Log Measured From	KELLY BUSHING 8' A.G.L.		
Drilling Measured From	KELLY BUSHING		
	SEC 14 TWP 14S RGE 21W		
Date	2/27/13		
Run Number	TWO		
Depth Driller	4079		
Depth Logger	4081		
Bottom Logged Interval	4069		
Top Log Interval	200		
Casing Driller	8 5/8"@218'		
Casing Logger	218		
Bit Size	7 7/8"		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 8,000 PPM	
Density / Viscosity	9.0/46		
pH / Fluid Loss	10.0/8.8		
Source of Sample	FLOWLINE		
Rim @ Meas. Temp	.540@83F		
Rmf @ Meas. Temp	.405@83F		
Rmc @ Meas. Temp	.648@83F		
Source of Rmf / Rmc	MEASUREMENT		
Rim @ BHT	.383@117F		
Time Circulation Stopped	3.5 HOURS		
Time Logger on Bottom	9:45 A.M.		
Maximum Recorded Temperature	117F		
Equipment Number	4854		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS		
Witnessed By	RON NELSON		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING "NABORS" HAYS, KANSAS (785) 628-6395
DIRECTIONS

ELLIS, KS. S. ON BLKTOP TO "VICTORIA RD." (LAKE RD.) W. TO "RD. 390", 2S. PAST "S" CURVE, E. INTO

Database File:

010417ddn.db

Dataset Pathname:

pass6.11

Presentation Format:

slt


Dataset Creation:



Wed Feb 27 13:04:14 2013



Charted by:


Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10
-----			-----					
0	MINMK	20	TBHV	0	ITT (msec)	20		
			0 (ft3)	10				











850




900



950



1000






















2400

2450

2500

2550







2600

2650

2700

2750






2800


2850

2900

2950

3000







3050

3100

3150

3200






3250


3300

3350

3400

3450







3500

3550

3600

3650







3700

3750

3800

3850





REPEAT SECTION

Database File: 010417ddn.db
 Dataset Pathname: pass5.5
 Presentation Format: slt
 Dataset Creation: Wed Feb 27 12:38:17 2013
 Charted by: Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)	20	
			0 (ft3) 10				

