



MIDWEST SURVEYS
LOGGING - PERFORATING - CONSULTING SERVICES
P.O. Box 68, Osawatomie, KS 66064
913 / 755 - 2128

GAMMA RAY / NEUTRON / CCL

File No.

API # 15-207-28,375

Company Haas Petroleum, LLC.
Well B. Edwards No. 7-HP
Field Winterscheid
County Woodson State Kansas

Location435' FSL & 250' FWL
NW-SW-SW-SW

Other Services
Perforate

Sec. 35Twp. 23sRge. 14e

Permanent DatumGLElevation NAK.B. NAD.F. NAG.L. NA

Log Measured FromGLElevation NAK.B. NAD.F. NAG.L. NA

Drilling Measured FromKB 7' From GLElevation NAK.B. NAD.F. NAG.L. NA

Date	11-20-2012		
Run Number	One		
Depth Driller	1730.0		
Depth Logger	1714.0		
Bottom Logged Interval	1713.0		
Top Log Interval	150.0		
Fluid Level	Full		
Type Fluid	Water		
Density / Viscosity	NA		
Salinity - PPM Cl	NA		
Max Recorded Temp	NA		
Estimated Cement Top	0.0		
Equipment No.	Location	102	Osawatomie
Recorded By	Steve Windisch		
Witnessed By	Mark Haas		

BORE-HOLE RECORD				CASING RECORD			
RUN	BIT	FROM	TO	SIZE	WGT.	FROM	TO
No.							
One	12.25"	0.0	40.0	8.625"	20.0 #	0.0	40.0
Two	6.75"	40.0	1730.0	4.50"	10.5 #	0.0	1720.0

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
Skyy Drilling Rig -3

Database File: edwards7b.db
Dataset Pathname: pass1
Presentation Format: gr-n-cci
Dataset Creation: Tue Nov 20 10:21:00 2012 by Log SCH 111116
Charted by: Depth in Feet scaled 1:240













